
## EBS52PR1

# Beverage & wine center | Panel Ready Single door dual zone



Learr

#### **MEASUREMENTS**



\*3/4"(1.9cm) Adjustable Height

	EBS52PR1
Α	31 <sup>13</sup> / <sub>16</sub> "(78.7cm)
В	29 <sup>1</sup> / <sub>16</sub> "(73.8cm)
С	34 <sup>1</sup> / <sub>4</sub> "(87cm)
D	23 <sup>7</sup> / <sub>16</sub> " (59.5 cm)
E	5 ³/ <sub>16</sub> "(13.2cm)

Integrated model requires 3/4" custom door panel (not supplied by Elica)

#### **DESCRIPTION**

A brilliant solution that meet all your needs, RISERVA - EBS52PR1 24", features two different cooling zones, adjustable to different temperatures to preserve a variety of beverages and wines to their optimum freshness. A Panel Ready Frame and is UV double-layered tempered Glass Door shields bottles from aging, while Elica's Perfect Climate technology (EPC) ensures a consistent air flow between bottles for optimum preservation.



#### **FEATURES**

★ EPC technology

Articulated hinge

Quiet operation

≣ High efficiency carbon filters

🖫 Eco-mode

Panel ready

elica

www.elica.com



GENERAL PROPERTIES				
Standard Width	24"			
Model	EBS52PR1			
Dimensions	23 <sup>7</sup> / <sub>16</sub> "W x 23 <sup>1</sup> / <sub>4</sub> "D x 34 <sup>1</sup> / <sub>4</sub> "H			
Weight	128 lbs			
Installation type	Built-In & free standing			
Refrigeration type	R600a			
Volume	4.8 cu ft(135L)			
Sound level	39 dBA			
Door finish	Panel ready + Tempered glass			
Cabinet finish	Black			
Interior finish	Black			
Hinge design	Articulated hinge			
Lighting	3 level white LED			
Controls	Capacitive Touch Display with white numbers			
COOLIN	G ZONE 1 - BEVERAGES			
Total Capacity	72 cans (12 oz cans)			
Temperature Ranges	34 to 50°F			
Shelving	2 Adjustable tempered slide out glass shelves			
COOLING ZONE 2 - WINES				
Total Capacity	14 Bottles of wine (25 oz)			
Temperature Range	40° to 64°F			
Shelving	1 full extension rack of beechwood with metal front			

DOOR				
Door handle	Tubular			
Door tempered glass	Tinted dual pane, Low-e argon-filled			
Reversible Door	Yes			
	Field reversible door is shipped right-hand hinged			

ELECTRICAL SPECIFICATIONS				
Compressor Brand	Embraco			
Min. Circuit Required	15 A			
AC Power	110-120V / 60HZ			
Amperage	0.95A			
Plug type	В			

OTHER FEATURES		
Sabbath mode		
Superior full extension racks		
Premium beechwood wine racks		
White LED lights with 3 level Kelvin shade adjustment		
Anti Vibration Technology & Anti Damping system		
Double panel tempered glass door, UV coated		
Stylish look with tubular handle		
Beverage Shelving made of Tempered Glass		
Elica Perfect Climate technology		


KITS		
PRO handle	KIT0175505	
Carbon filter replacement	L00114-1	


WARRANTY: \*\*\* Two (2) Years Parts & In-Home Labor. Earn an additional One (1) Year of Parts & In-Home Labor by registering on elica.com

elica Riserva series www.elica.com

<sup>\*</sup> The product images shown are for illustration purposes only and may not be an exact representation of the product.
\*\* For valid warranty extension, register within 3 months from purchase. For USA & Canada Users Only.

#### LINE DRAWINGS





### PANEL DIMENSIONS

Overlay Panel Dimension:

Door Panel Width	23 1/8"
Door Panel Height	30 <sup>3</sup> / <sub>16</sub> "
Door Panel Depth	3/ <sub>4</sub> " max
Door Panel Weight	10 lbs max
Viewable Area Width	18 3/4"
Viewable Area Height	23 1/2"



