

EBS51PR1


Specification sheet

Beverage center | Panel Ready
Single door single zone



Learn more

MEASUREMENTS



* $\frac{3}{4}$ " (1.9cm) Adjustable Height

EBS51PR1	
A	31 $\frac{13}{16}$ " (78.7cm)
B	29 $\frac{1}{16}$ " (73.8cm)
C	34 $\frac{1}{4}$ " (87cm)
D	23 $\frac{7}{16}$ " (59.5 cm)
E	5 $\frac{3}{16}$ " (13.2cm)

Integrated model requires $\frac{3}{4}$ " custom door panel (not supplied by Elica)

DESCRIPTION

RISERVA - EBS51PR1 creates the dream conditions for your favorite seltzer drinks. This 24" undercabinet refrigerator has the capacity to fit up to 120 cans (12oz). Featuring 3 adjustable slide-out Tempered Glass shelves and a Panel Ready frame with a double layered UV-resistant glass door and an exclusive articulated hinge design that delivers a more refined appearance and tighter fit within cabinetry.



FEATURES

- Open door alarm
- Articulated hinge
- High efficiency carbon filters
- Panel ready
- EPC technology
- Quiet operation
- Eco-mode



GENERAL PROPERTIES

Standard Width	24"
Model	EBS51PR1
Dimensions	23 7/16"W x 23 5/16"D x 34 1/4"H
Weight	128 lbs
Installation type	Built-In & free standing
Refrigeration type	R600a
Volume	4.8 cu ft(135L)
Sound level	39 dBA
Door finish	Panel ready frame + tempered glass
Cabinet finish	Black
Interior finish	Black
Hinge design	Articulated hinge
Lighting	3 level white LED
Controls	Capacitive Touch Display with white numbers
Total Capacity	>120 cans (12 oz cans)
Temperature Ranges	34° to 65°F
Shelving	3 adjustable-slide out-tempered glass shelves with metal front trim (without rollers)

KITS

Pro Handle Kit (Stainless Steel)	EPHKSS
Pro Handle Kit (Polished Brass)	EPHKPB
Tubular Handle Kit (Polished Brass)	ETHKPB
Securing Bracket Kit	ESBKBL
Hidden Securing Bracket Kit	EHSBKBL
Carbon filter	L00114-1
Tilt Shelf Kit	ETSKBL
Glass to Solid Stainless Steel Door Kit	ESPK24SS
Glass to Solid Panel Ready Door Kit	ESPK24PR
Complete 24" Solid Stainless Steel Door	ESDK24SS

DOOR

Door handle	Tubular
Door tempered glass	Tinted dual pane, Low-e argon-filled
Reversible Door	Yes Field reversible door is shipped right-hand hinged

ELECTRICAL SPECIFICATIONS

Compressor Brand	Embraco
Min. Circuit Required	15 A
AC Power	110-120V / 60HZ
Amperage	0.95A
Plug type	B

OTHER FEATURES

Sabbath mode

Superior full extension racks

White LED lights with 3 level Kelvin shade adjustment

Anti vibration technology & anti damping system

Double panel tempered glass door, UV coated

Stylish look with tubular handle

Beverage Shelving made of tempered glass


Elica Perfect Climate Technology

Integrated model requires 3/4" custom door panel (not supplied by Elica)

WARRANTY:* Two (2) Years Parts & In-Home Labor. Earn an additional One (1) Year of Parts & In-Home Labor by registering on elica.com**

* The product images shown are for illustration purposes only and may not be an exact representation of the product.
 ** For valid warranty extension, register within 3 months from purchase. For USA & Canada Users Only.



LINE DRAWINGS




PANEL DIMENSIONS

Overlay Panel Dimension:

Door Panel Width	23 $\frac{1}{8}$ "
Door Panel Height	30 $\frac{3}{16}$ "
Door Panel Depth	$\frac{3}{4}$ " max
Door Panel Weight	10 lbs max
Viewable Area Width	18 $\frac{3}{4}$ "
Viewable Area Height	23 $\frac{1}{2}$ "




LINE DRAWINGS



LINE DRAWINGS

POWER CORD



REAR

