

EWS52PR1


Specification sheet

Wine center | Panel Ready
Dual zone wine cellar fridge



Learn
more

MEASUREMENTS



* $\frac{3}{4}$ " (1.9cm) Adjustable Height

	EWS52PR1
A	31 $\frac{13}{16}$ " (78.7 cm)
B	29 $\frac{1}{16}$ " (73.8 cm)
C	34 $\frac{1}{4}$ " (87cm)
D	23 $\frac{7}{16}$ " (59.5 cm)
E	5 $\frac{3}{16}$ " (13.2cm)

DESCRIPTION

RISERVA - EWS52PR1 with dual temperature zones is designed to store a variety of quality wines and preserve them under optimal conditions. As the global ventilation leader, Elica understands in depth, the importance of maintaining the right temperature, humidity, light and low vibration to ensure the right environment for safe preservation and aging. RISERVA natural beechwood shelves are full extension for easy and safe access to each bottle. The Panel Ready frame and integrated articulated hinge allow a true flush installation within the cabinetry.



FEATURES

- Open door alarm
- Articulated hinge
- High efficiency carbon filters
- Panel ready
- EPC technology
- Quiet operation
- Eco-mode



GENERAL PROPERTIES	
Standard Width	24"
Model	EWS52PR1
Dimensions	23 7/16"W x 23 1/4"D 34 1/4"H
Weight	128 lbs
Installation type	Built-In & free standing
Refrigeration type	R600a
Volume	4.8 cu ft(135L)
Sound level	39 dBA
Door finish	Panel ready + Tempered glass
Cabinet finish	Black
Interior finish	Black
Hinge design	Articulated hinge
Lighting	3 level white LED
Controls	Capacitive Touch Display with white numbers

COOLING ZONE 1 - WHITE WINES	
Total Capacity	16 Bottles of wine (25 oz)
Temperature Ranges	40° to 50°F
Shelving	2 Full extension racks of beechwood with metal front trim

COOLING ZONE 2 - RED WINES	
Total Capacity	36 Bottles of wine (25 oz)
Temperature Range	50° to 64°F
Shelving	3 full extension racks of beechwood with metal front

DOOR	
Door handle	Tubular
Door tempered glass	Tinted dual panel, Low-e argon-filled
Reversible Door	Yes Field reversible door is shipped right-hand hinged

ELECTRICAL SPECIFICATIONS	
Compressor Brand	Embraco
Min. Circuit Required	15 A
AC Power	110-120V / 60HZ
Amperage	0.95A
Plug type	B


OTHER FEATURES	
Sabbath mode	
Superior full extension racks	
Premium beechwood wine racks	
White LED lights with 3 level Kelvin shade adjustment	
Anti Vibration Technology & Anti Damping system	
Double panel tempered glass door, UV coated	
Stylish look with tubular handle	
Beverage Shelving made of Tempered Glass	
Elica Perfect Climate technology	

KITS	
Pro Handle Kit (Stainless Steel)	EPHKSS
Pro Handle Kit (Polished Brass)	EPHKPB
Tubular Handle Kit (Polished Brass)	ETHKPB
Securing Bracket Kit	ESBKBL
Hidden Securing Bracket Kit	EHSBKBL
Carbon filter	L00114-1
Tilt Shelf Kit	ETSKBL
Glass to Solid Stainless Steel Door Kit	ESPK24SS
Glass to Solid Panel Ready Door Kit	ESPK24PR
Complete 24" Solid Stainless Steel Door	ESDK24SS

WARRANTY:***	Two (2) Years Parts & In-Home Labor. Earn an additional One (1) Year of Parts & In-Home Labor by registering on elica.com
---------------------	--

* The product images shown are for illustration purposes only and may not be an exact representation of the product.
 ** For valid warranty extension, register within 3 months from purchase. For USA & Canada Users Only.



LINE DRAWINGS




LINE DRAWINGS

Overlay Panel Dimension:

Door Panel Width	$23 \frac{1}{16}''$
Door Panel Height	$30 \frac{3}{16}''$
Door Panel Depth	$\frac{3}{4}''$ max
Door Panel Weight	10 lbs max
Viewable Area Width	$18 \frac{3}{4}''$
Viewable Area Height	$23 \frac{9}{16}''$




LINE DRAWINGS



LINE DRAWINGS

POWER CORD



REAR

