



Ref. Certif. No.

**DK-100530-M1-UL**

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)  
CB SCHEME

### CB TEST CERTIFICATE

Product

Range Hood

Name and address of the applicant

Elica SPA  
VIA ERMANNOCASOLI 2  
FABRIANO, 60044 AN Italy

Name and address of the manufacturer

Elica SPA  
VIA ERMANNOCASOLI 2  
FABRIANO, 60044 AN Italy

Name and address of the factory

ELICA GROUP POLSKA SP Z O O  
Ul Inzynierska 3  
Jelcz Laskowice, 55-221 Poland

Note: When more than one factory, please report on page 2

[Additional Information on page 3](#)

Ratings and principal characteristics

220-240 or 230V 50-60Hz, 220-240 or 230V 50Hz, or 220V 60Hz,  
max 568W  
See Pages 2-3 for details

Trademark / Brand (if any)



Type of Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model / Type Ref.

E127 I  
See Pages 2-3 for Type/Code Identification

Additional information (if necessary may also be reported on page 2)

The report was revised to include technical modifications  
 [Additional Information on page 3](#)

A sample of the product was tested and found to be in conformity with

IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016,  
IEC 60335-1:2010, IEC 60335-2-31:2012/AMD1:2016, IEC  
60335-2-31:2012/AMD2:2018, IEC 60335-2-31:2012  
20-4789378478.50.1 issued on 2020-09-16

As shown in the Test Report Ref. No. which forms part of this Certificate

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2020-09-23

Signature:

Original Issue Date: 2020-07-28

Jan-Erik Storgaard



Ref. Certif. No.

DK-100530-M1-UL

Model Details:

ADDITIONAL INFORMATION						
Type/Code identification						
This Test Report covers the following type and associated code identifying the Electrical configuration:						
E127 I + Code, (i.e. E127 I 1SB35DH 2SE RFT B)						
No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Min. distance from Electric/Gas Hob (cm)
1	E127 I	1S48DD 2SE RFT B	214	220-240 or 230 220	50 60	60/70
2	E127 I	1SB35DH 2SE RFT B	174	220-240 or 230	50-60	60/70
3	E127 I	1SB35CH 2SE RFT B *	Max. 288 (100 W optional external lamp load included)	220-240 or 230	50-60	60/70
			188 (rangehood)			
4	E127 I	1SB35CH 1SE RFT B *	Max. 288 (100 W optional external lamp load included)	220-240 or 230	50-60	60/100
			188 (rangehood)			
5	E127 I	2S48AD 1SE RFT1 B *	Max. 568 (100 W optional external lamp load included)	220-240 or 230	50-60	60/100
			468 (rangehood)			
6	E127 I	EBM 1SE RFT B *	Max. 293 (100 W optional external lamp load included)	220-240 or 230	50-60	65/100
			193 (rangehood)			
7	E127 I	EBM 2SE RFT B *	Max. 293 (100 W optional external lamp load included)	220-240 or 230	50-60	65/70
			193 (rangehood)			

## Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2020-09-23

Original Issue Date: 2020-07-28

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

DK-100530-M1-UL

8	E127 I	1SB35CH 1SE RFT BC *	Max. 288 (100 W optional external lamp load included)	220-240 or 230	50-60	60/100
			188 (rangehood)			
9	E127 I	1S48DB 2SE RFT1 B	284	220-240 or 230	50	60/100
10	E127 I	1SI40CC 2SE RFT1 B	324	220-240 or 230	50	60/70

**Remark:** Code No.(s) 1, 2, 9 and 10 provided with 2 Led (7W each), Code No.(s) 3 and 7 provided with 2 Led (14W each). Code No.(s) 4, 5 and 6 provided with 1 Led (28W), Code No.(s) 3 and 7 provided with 2 Led (14W each).

\* may be optionally connected to an external additional lamp load max 100W.

**Explanation of type/electrical configuration:**

E127	= Type of construction
I	= Insulation Class
xSy or xEBM	= Number of Motors and Type of Motor <sup>1)</sup>
xSE	= Number and kind of lamps ("SE" Strip Led Lamps)
RFT or RFT1	= Kind of Control ("RFT" Radio Frequency Touch Control or "RFT1" Radio Frequency Touch Control with soft first speed)
B or BC	= "B" For UK (tested for/at 240V) or "BC" code for China (tested for/at 240V)

Remark: x is a number (one or more digit), y is a sequence of alphanumerical characters of any length. <sup>1)</sup> Without number on prefix indicates one motor.

**Factories:**

Elica SPA  
Località Montirone  
Mergo, 60030 AN Italy

**Additional Information:**

Additionally evaluated to EN 60335-1:2012/ A11:2014/ A13:2017/ A1:2019/ A14:2019/ A2:2019, EN 60335-2-31:2014 and EN 62233:2008.

National Differences specified in the CB Test Report.

The original report was revised to include the following changes/additions:

- Addition of alternative components

**Additional information (if necessary)**



UL (US), 333 Pflingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2020-09-23

Original Issue Date: 2020-07-28

Signature:

Jan-Erik Storgaard