

DK-103784-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Name and address of the applicant

Name and address of the manufacturer

Name and address of the factory

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

Trademark / Brand (if any)

Range Hood

Elica SPA

VIA ERMANNO CASOLI 2 FABRIANO, 60044 AN Italy

Elica SPA

VIA ERMANNO CASOLI 2 FABRIANO, 60044 AN Italy

ELICA GROUP POLSKA SP Z O O

Ul Inzynierska 3

Jelcz Laskowice, 55-221 Poland

Additional Information on page 2

220-240 or 230V 50-60Hz, 220-240 or 230V 50Hz, 220V 60Hz,

Max 186W

See Page 2 for details



Type of Customer's Testing Facility (CTF) Stage used

Model / Type Ref.

Additional information (if necessary may also be reported on page 2)

A sample of the product was tested and found to be in conformity with

As shown in the Test Report Ref. No. which forms part of this Certificate

CTF Stage 3

E023D II

See Page 2 for Type/Code Identification

Additional Information on page 2

IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016, IEC 60335-1:2010, IEC 60335-2-31:2012/AMD1:2016, IEC 60335-2-31:2012/AMD2:2018, IEC 60335-2-31:2012 20-4789378478.23.1 issued on 2020-09-29

This CB Test Certificate is issued by the National Certification Body



Date: 2020-10-05

Signature:

UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Jan-Erik Storgaard



DK-103784-UL

Model Details:

ADDITIONAL INFORMATION

Type/Code identification

This Test Report covers the following type and associated code identifying the Electrical configuration:

Type: E023D II + Code (i.e. E023D II 1K28NG 2B S B)

No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric/gas Hob (cm)
1	E023D II	1S35NG 2B P B	186	220-240 or 230	50-60	50/65
2	E023D II	1S35NG 2B S B	186	220-240 or 230	50-60	50/65
3	E023D II	1K28NG 2B P B	96	220-240 or 230	50	50/65
				220	60	
4	E023D II	1K28NG 2B S B	96	220-240 or 230	50	50/65
				220	60	
5	E023D II	1M20NG 2B S B	126	220-240 or 230	50-60	50/65

Remark:

Explanation of type/electrical configuration:

E023D	= Type of construction		
II	= Insulation Class		
xKy, xMy or xSy	= Number of Motors and Type of Motor		
хВ	= Number and kind of lamps ("B" Bulb Led Lamp 3W)		
P or S	= Kind of Control ("P" Push button or "S" Slider switch)		
В	= For UK (tested for/at 240V)		

Remark: x is a number (one or more digit), y is a sequence of alphanumerical characters of any length.

Factories:

Elica SPA

Località Montirone

Mergo, 60030 AN Italy

Additional Information:

Additionally evaluated to EN 60335-1:2012/ A11:2014/ A13:2017/ A1:2019/ A14:2019/ A2:2019, EN 60335-2-31:2014, EN 62233:2008.

National Differences specified in the CB Test Report.

Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

lan out Supernal

For full legal entity names see www.ul.com/ncbnames

Date: 2020-10-05

Signature: Jan-Erik Storgaard