



Ref. Certif. No.

DK-119200-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	Range Hood
Name and address of the applicant	ELICA SPA VIA ERMANNO CASOLI 2 FABRIANO, AN, 60044 ITALY
Name and address of the manufacturer	ELICA SPA VIA ERMANNO CASOLI 2 FABRIANO, AN, 60044 ITALY
Name and address of the factory	ELICA SPA LOCALITA MONTIRONE MERGO, AN, 60030 ITALY <input checked="" type="checkbox"/> Additional Information on page 3
Note: When more than one factory, please report on page 2	
Ratings and principal characteristics	220-240 or 230V 50-60Hz, 220-240 or 230V 50Hz, 220V 60Hz, Max 344W <input checked="" type="checkbox"/> Additional Information on page 2-3
Trademark (if any)	
Customer's Testing Facility (CTF) Stage used	CTF Stage 3
Model / Type Ref.	E076D I and E076E I <input checked="" type="checkbox"/> Additional Information on page 2-3
Additional information (if necessary may also be reported on page 2)	<input checked="" type="checkbox"/> Additional Information on page 3
A sample of the product was tested and found to be in conformity with	IEC 60335-2-31:2012/AMD2:2018, IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016, IEC 60335-2-31:2012/AMD1:2016, IEC 60335-2-31:2012
As shown in the Test Report Ref. No. which forms part of this Certificate	21-4789841647.67.1 issued on 2021-09-13

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2021-10-08

Signature: Jan-Erik Storgaard

Model Details:

ADDITIONAL INFORMATION						
Type/Code identification						
This Test Report covers the following types, all sharing the same main constructional features: E076D I and E076E I Each type is associated with the following code identifying the Electrical Configuration: E076D I or E076E I + Code , (i.e. E076D I 1S40BD 2E P B or E076E I 1S40BD 4E P B)						
No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric hob/Gas hob (cm)
1	E076D I	1S40BD 2E P B	255	220-240 or 230 220	50 60	50/65
2	E076D I	1S40BD 2B P B	256	220-240 or 230 220	50 60	50/65
3	E076D I	1S40BF 2E P B	265	220-240 or 230 220	50 60	50/65
4	E076D I	1S35BB 2E P B	180	220-240 or 230	50-60	50/65
5	E076D I	1S40BF NA T B	288	220-240 or 230 220	50 60	50/65
6	E076D I	1S40BF NB T B	274	220-240 or 230 220	50 60	50/65
7	E076D I	1S40BF N T B	281	220-240 or 230 220	50 60	50/65
8	E076D I	1S48BD 2E P B	225	220-240 or 230	50	50/65
9	E076E I	1S40BD 4E P B	260	220-240 or 230 220	50 60	50/65
10	E076E I	1S48BD 4E P B	230	220-240 or 230	50	50/65
11	E076E I	1S40BF 2NA T B	326	220-240 or 230 220	50 60	50/65
12	E076E I	1S40BF 2N T B	302	220-240 or 230 220	50 60	50/65

Additional information (if necessary)


- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

 For full legal entity names see www.ul.com/ncbnames

Date: 2021-10-08

Signature:



Jan-Erik Storgaard

13	E076E I	1S40BF 4N T B	344	220-240 or 230 220	50 60	50/65
14	E076D I	1S40AC 2ED P B	256	220-240 or 230	50-60	50/65
15	E076D I	V 2E P B	15	220-240 or 230	50-60	50/65
16	E076E I	1S40AC 2ED P B	256	220-240 or 230	50-60	50/65
17	E076E I	1S40BF 2E P B	265	220-240 or 230 220	50 60	50/65
18	E076E I	1S40BF 4E P B	270	220-240 or 230 220	50 60	50/65
19	E076E I	1S40CG 2E P B	255	220-240 or 230 220	50 60	50/65

Explanation of type/electrical configuration:

E076D or E076E	= Type of construction
I	= Insulation Class
xSy or xV	= Number and kind of Motors or one Valve
xN, xNA, xNB, xE, xB or xED	= tubular fluorescent lamp: "N" 21 W, "NA" 28 W or "NB" 14 W; "E" Led Spot Lamp, "B" Led Bulb Lamp or "ED Low Voltage Dichroic Led Lamp. ¹⁾
P, or T	= Kind of Control ("P" mechanical push buttons or "T" Touch Control)
B	= Kind of supply voltage ("B" tested for/at 240V)

Remark: x is a number (one or more digit), y is a sequence of alphanumeric characters of any length.

Factories:

ELICA GROUP POLSKA SP Z O O
UL INZYNIERSKA 3 JELCZ LASKOWICE 55-221
POLAND

Additional Information:

Additionally evaluated to:

EN 60335-1:2012/A14:2019, EN 60335-1:2012/A1:2019, EN 60335-1:2012/A2:2019, EN 62233:2008, EN 60335-1:2012/A13:2017, EN 60335-2-31:2014, EN 60335-1:2012, EN 60335-1:2012/A11:2014

National differences specified in the CB Test Report.

Additional information (if necessary)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2021-10-08

Signature:



Jan-Erik Storgaard