

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	Range Hood
Name and address of the applicant	Elica SPA Via Ermanno Casoli 2 Fabriano, AN, 60044 Italy
Name and address of the manufacturer	Elica SPA Via Ermanno Casoli 2 Fabriano, AN, 60044 Italy
Name and address of the factory	Elica SPA Localita Montirone Mergo, AN, 60030 Italy <input checked="" type="checkbox"/> Additional Information on page 4
Note: When more than one factory, please report on page 2	
Ratings and principal characteristics	220-240 or 230 V 50-60 Hz, 220-240 or 230V 50 Hz, or 220V 60 Hz, max 568 W <input checked="" type="checkbox"/> Additional Information on page 2-4
Trademark (if any)	
Customer's Testing Facility (CTF) Stage used	CTF Stage 3
Model / Type Ref.	E127 I <input checked="" type="checkbox"/> Additional Information on page 2-4
Additional information (if necessary may also be reported on page 2)	<input checked="" type="checkbox"/> Additional Information on page 4
A sample of the product was tested and found to be in conformity with	IEC 60335-2-31:2012, IEC 60335-2-31:2012/AMD1:2016, IEC 60335-2-31:2012/AMD2:2018, IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016
As shown in the Test Report Ref. No. which forms part of this Certificate	22-4790295896.25.1 issued on 2022-05-17

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2022-05-26

Signature:
Jan-Erik Storgaard

Model Details:

Type/Code identification						
This Test Report covers the following type and associated code identifying the Electrical configuration:						
E127 I + Code , (i.e. E127 I 1S48DD 2SF RFT B)						
No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Min. Distance from Electric Hob/Gas Hob (cm)
1	E127 I	1S48DD 2SF RFT B	214	220-240 or 230	50	60/70
				220	60	
2	E127 I	1SB35CH 2SE RFT B *	Max. 288 (100 W optional external lamp load included)	220-240 or 230	50-60	60/70
			188 (rangehood)			
3	E127 I	1SB35CH 1SE RFT B *	Max. 288 (100 W optional external lamp load included)	220-240 or 230	50-60	60/100
			188 (rangehood)			
4	E127 I	2S48AD 1SE RFT1 B *	Max. 568 (100 W optional external lamp load included)	220-240 or 230	50-60	60/100
			468 (rangehood)			
5	E127 I	EBM 1SE RFT B *	Max. 293 (100 W optional external lamp load included)	220-240 or 230	50-60	65/100
			193 (rangehood)			
6	E127 I	EBM 2SE RFT B *	Max. 293 (100 W optional external lamp load included)	220-240 or 230	50-60	65/70
			193 (rangehood)			

Additional information (if necessary)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2022-05-26

Signature: 
Jan-Erik Storgaard

7	E127 I	1SB35CH 1SE RFT BC *	Max. 288 (100 W optional external lamp load included)	220-240 or 230	50-60	60/100
			188 (rangehood)			
8	E127 I	1S48DB 2SF RFT1 B	284	220-240 or 230	50	60/100
9	E127 I	1E30H 1SE RFT B *	Max. 303 (100 W optional external lamp load included)	220-240 or 230	50-60	65/100
			203 (rangehood)			
10	E127 I	1E30H 2SE RFT B *	Max. 303 (100 W optional external lamp load included)	220-240 or 230	50-60	65/70
			203 (rangehood)			
11	E127 I	1E30H 2SF RFT B	189	220-240 or 230	50-60	65/70
12	E127 I	1JB700C 1SE RFT B *	Max. 298 (100 W optional external lamp load included)	220-240 or 230	50-60	60/100
			198 (rangehood)			
13	E127 I	1JB700C 2SE RFT B *	Max. 298 (100 W optional external lamp load included)	220-240 or 230	50-60	60/70
			198 (rangehood)			
14	E127 I	1JB700C 2SF RFT B	184	220-240 or 230	50-60	60/70
15	E127 I	1S48CB 4E RFT B	280	220-240 or 230	50	60/70
				220	60	

Additional information (if necessary)


- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

 For full legal entity names see www.ul.com/ncbnames

Date: 2022-05-26

 Signature: 

Jan-Erik Storgaard

<p>Remark: Code No.(s) 1, 8, 11 and 14 provided with 2 Led bars (7 W each). Codes No.(s) 2, 6, 10 and 13 provided with 2 Led bars (14 W each). Codes No.(s) 3, 4, 5, 7, 9 and 12 provided with 1 Led Panel lamp (28 W). Code No. 15 provided with four 2,5 W Led spot lamps. * May be optionally connected to an external additional lamp load max 100 W.</p>	
<p>Explanation of type/electrical configuration:</p>	
E127	= Type of construction
I	= Insulation Class
xSy, EBM, xE30y or xJB700y	= Number of Motors (indicated by "x" if present, otherwise one motor is the default) and Type of Motor ¹⁾
1SE, 2SE, 2SF or 4E	= Kind of Lamps ("1SE" one 28 W Led Panel Lamp, "2SE" two 14 W Strip Led Lamps or "2SF" two 7 W Strip Led Lamps, "4E" four 2,5 W low voltage spot lamps)
RFT or RFT1	= Kind of Controls ("RFT" Radio Frequency Touch Controls or "RFT1" Radio Frequency Touch Controls with soft first speed)
B or BC	= "B" For UK (tested for/at 240V) or "BC" code for China (tested for/at 240V)
<p>Remark: x is a number (one or more digit), y is a sequence of alphanumeric characters of any length. ¹⁾ Without number on prefix indicates one motor.</p>	

Additionally evaluated to: EN 60335-1:2012, EN 60335-1:2012/A1:2019, EN 60335-1:2012/A2:2019, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A14:2019, EN 60335-1:2012/A15:2021, EN 60335-2-31:2014, EN 62233:2008,
 National differences specified in the CB Test Report.

Factory(ies):

ELICA GROUP POLSKA SP Z O O
 Ul Inzynierska 3 Jelcz Laskowice 55-221
 Poland

Additional information (if necessary)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2022-05-26

Signature: 

Jan-Erik Storgaard