



Ref. Certif. No.

DK-129989-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	Range Hood
Name and address of the applicant	Elica SPA Via Ermanno Casoli 2 Fabriano, AN, 60044 Italy
Name and address of the manufacturer	Elica SPA Via Ermanno Casoli 2 Fabriano, AN, 60044 Italy
Name and address of the factory	Elica SPA Localita Montirone Mergo, AN, 60030 Italy <input checked="" type="checkbox"/> Additional Information on page 2
Note: When more than one factory, please report on page 2	
Ratings and principal characteristics	220-240 or 230 V 50-60 Hz, max 156 W <input checked="" type="checkbox"/> Additional Information on page 2
Trademark (if any)	
Customer's Testing Facility (CTF) Stage used	CTF Stage 3
Model / Type Ref.	E123B II <input checked="" type="checkbox"/> Additional Information on page 2-3
Additional information (if necessary may also be reported on page 2)	<input checked="" type="checkbox"/> Additional Information on page 3
A sample of the product was tested and found to be in conformity with	IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016, IEC 60335-2-31:2012, IEC 60335-2-31:2012/AMD1:2016, IEC 60335-2-31:2012/AMD2:2018.
As shown in the Test Report Ref. No. which forms part of this Certificate	22-4790295896.30.1 issued on 2022-07-11

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2022-07-18

Signature: Jan-Erik Storgaard



Ref. Certif. No.

DK-129989-UL

**Factory:**

ELICA GROUP POLSKA SP Z O O  
 Ul Inzynierska 3 Jelcz Laskowice 55-221  
 Poland

**Model Details:**

Type/Code identification							
This Test Report covers the following type and associated code identifying the Electrical configuration: <b>Type: E123B II + Code</b> , (i.e. E123B II 1K28BN 2B P B)							
No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric hob/Gas hob (cm)	Distance from Electric hob/Gas hob (cm) (only for AUS/NZL)
1	E123B II	1K42AN 2B P B	126	220-240 or 230	50-60	50/65	60/65
2	E123B II	1K28BN 2B P B	121	220-240 or 230	50-60	50/65	60/65
3	E123B II	1K42BN 2B P B	146	220-240 or 230	50-60	50/65	60/65
4	E123B II	1K37AN 2B P B	156	220-240 or 230	50-60	50/65	60/65
5	E123B II	1S25AF 2B P B	121	220-240 or 230	50-60	50/65	60/65
6	E123B II	1S25AN 2B P B	136	220-240 or 230	50-60	50/65	60/65
7	E123B II	V 2B I B	10	220-240 or 230	50-60	50/65	60/65
8	E123B II	1K28BN 2B I B	121	220-240 or 230	50-60	50/65	60/65
9	E123B II	1K28BN 2E P B	120	220-240 or 230	50-60	50/65	60/65
10	E123B II	1K37AN 2E P B	155	220-240 or 230	50-60	50/65	60/65
11	E123B II	1K42AN 2E P B	125	220-240 or 230	50-60	50/65	60/65
12	E123B II	1K42BN 2E P B	145	220-240 or 230	50-60	50/65	60/65
13	E123B II	1S25AF 2E P B	120	220-240 or 230	50-60	50/65	60/65
14	E123B II	1S25AN 2E P B	135	220-240 or 230	50-60	50/65	60/65
15	E123B II	1K23BN 2B S B	81	220-240 or 230	50-60	50/65	60/65
16	E123B II	1S25BN 2E S B	120	220-240 or 230	50-60	50/65	60/65

**Additional information (if necessary)**

- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2022-07-18

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

**DK-129989-UL**

Remark:

**Explanation of type/electrical configuration:**

E123B	= Type of construction
II	= Insulation Class
xKy, xSy or V	= Number of Motors and Type of Motor or "V" Electric Valve
xE or xB	= Number and kind of lamps ("E" Spot Led Lamp or "B" Bulb Led Lamp)
P, I or S	= Kind of Controls ("P" Push Button Switches or "I" Rocker Switches or "S" Slider Switches)
B	= For UK (tested for/at 240V)

**Remark:** x is a number (one or more digit), y is a sequence of alphanumerical characters of any length.

**Additionally evaluated to:** EN 60335-1:2012, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A1:2019, EN 60335-1:2012/A2:2019, EN 60335-1:2012/A14:2019, EN 60335-1:2012/A15:2021, EN 60335-2-31:2014, EN 62233:2008

National differences specified in the CB Test Report.

**Additional information (if necessary)**



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2022-07-18

Signature:

Jan-Erik Storgaard