



Ref. Certif. No.

DK-130798-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	Range Hood
Name and address of the applicant	Elica SPA Via Ermanno Casoli 2 Fabriano, AN, 60044 Italy
Name and address of the manufacturer	Elica SPA Via Ermanno Casoli 2 Fabriano, AN, 60044 Italy
Name and address of the factory	Elica SPA Localita Montirone Mergo, AN, 60030 Italy <input checked="" type="checkbox"/> Additional Information on page 4
<i>Note: When more than one factory, please report on page 2</i>	
Ratings and principal characteristics	220-240 or 230 V 50-60 Hz, 220-240 or 230V 50Hz, 220V 60Hz, max 362 W <input checked="" type="checkbox"/> Additional Information on pages 2-3
Trademark (if any)	
Customer's Testing Facility (CTF) Stage used	CTF Stage 3
Model / Type Ref.	E100F I and E100G I <input checked="" type="checkbox"/> Additional Information on pages 2-3
Additional information (if necessary may also be reported on page 2)	<input checked="" type="checkbox"/> Additional Information on page 4
A sample of the product was tested and found to be in conformity with	IEC 60335-2-31:2012, IEC 60335-2-31:2012/AMD1:2016, IEC 60335-2-31:2012/AMD2:2018, IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016
As shown in the Test Report Ref. No. which forms part of this Certificate	22-4790295930.7.1 issued on 2022-07-28

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2022-08-23

Signature:
Jan-Erik Storgaard

Model details:

ADDITIONAL INFORMATION							
Type/Code identification							
This Test Report covers the following type and associated code identifying the Electrical configuration: Type: E100F I or E100G I + Code, (i.e. E100F I 1SI40CC 1SE TH B)							
No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Min. distance from Electric Hob /Gas Hob (cm)	Min. distance from Electric Hob /Gas Hob (cm) (only for AUS/NZL)
1	E100F I	1SI40CC 1SE TH B	317	220-240 or 230	50	50/65	60/65
2	E100F I	1SI50BB 2E CT B	305	220-240 or 230	50	50/65	60/65
3	E100F I	1S48CF 2E CTH B	285	220-240 or 230 220	50 60	50/65	60/65 -
4	E100F I	1S48CF 2E CT1 B	285	220-240 or 230 220	50 60	50/65	60/65 -
5	E100F I	1SI40CC 1SE CTH B	317	220-240 or 230	50	50/65	60/65
6	E100F I	1SI40CC 1SE CSH B	317	220-240 or 230	50	50/65	60/65
7	E100G I	1S48CF 4E CTH B	290	220-240 or 230 220	50 60	50/65	60/65 -
8	E100G I	1SI40CC 2SE CSH B ²⁾	324	220-240 or 230	50	50/65	60/65
9	E100F I	1SI40CC 1SE ASC B	317	220-240 or 230	50	50/65	60/65
10	E100G I	1SI40CC 2SE ASC B ²⁾	324	220-240 or 230	50	50/65	60/65
11	E100F I	1SI41CC 1SE T1 B	277	220-240 or 230	50	50/65	60/65
12	E100F I	1SI41CC 2SE ASC1 B ²⁾	277	220-240 or 230	50	50/65	60/65
13	E100F I	1SI45CM 1SE T1 B	257	220-240 or 230	50	50/65	60/65
14	E100F I	1SI45CM 1SE CT1 B	257	220-240 or 230	50	50/65	60/65
15	E100G I	1SI45CM 1SE T1 B	257	220-240 or 230	50	50/65	60/65
16	E100G I	1SI45CM 2SE CT1 B ²⁾	264	220-240 or 230	50	50/65	60/65
17	E100F I	1HT67 1SE ASC B	362	220-240 or 230	50	50/65	60/65
18	E100F I	1HT67 1SE ASC B 90	362	220-240 or 230	50	50/65	60/65
19	E100F I	1HT67 1SE ASC B 120	362	220-240 or 230	50	50/65	60/65
20	E100F I	1S48CD 1SE T1 B	277	220-240 or 230 220	50 60	50/65	60/65 -
21	E100F I	1S48CD 1SE CT1 B	277	220-240 or 230 220	50 60	50/65	60/65 -
22	E100G I	1S48CD 1SE T1 B	277	220-240 or 230 220	50 60	50/65	60/65 -
23	E100G I	1S48CD 2SE CT1 B ²⁾	284	220-240 or 230 220	50 60	50/65	60/65 -


Additional information (if necessary)


- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

 For full legal entity names see www.ul.com/ncbnames

Date: 2022-08-23

Signature:



Jan-Erik Storgaard

24	E100F I	1SI40CC 1SE CT1 B	317	220-240 or 230	50	50/65	60/65
25	E100F I	1SI40CC 1SE TU1 B	317	220-240 or 230	50	50/65	60/65
26	E100G I	1SI40CC 2SE CT1 B ²⁾	317 ²⁾	220-240 or 230	50	50/65	60/65
27	E100G I	1SI40CC 2SE TU1 B	317	220-240 or 230	50	50/65	60/65
28	E100F I	1W50CC 1SE T1 B	257	220-240 or 230	50-60	50/65	60/65
29	E100F I	1W50CC 1SE CTH B	257	220-240 or 230 220	50 60	50/65	60/65 -
30	E100F I	1W50CB 1SE CT1 B	257	220-240 or 230 220	50 60	50/65	60/65 -
31	E100F I	1W50CB 2E CT B	255	220-240 or 230 220	50 60	50/65	60/65 -
32	E100G I	1W50CC 2SE CSH B ²⁾	264	220-240 or 230 220	50 60	50/65	60/65 -
33	E100F I	1W50CB 1SE TU1 B	257	220-240 or 230 220	50 60	50/65	60/65 -
34	E100G I	1W50CB 2SE TU1 B ²⁾	257	220-240 or 230 220	50 60	50/65	60/65 -
35	E100G I	1W50CB 2SE CT1 B ²⁾	257	220-240 or 230 220	50 60	50/65	60/65 -
36	E100F I	1W50CC 1SE ASC1 B	257	220-240 or 230 220	50 60	50/65	60/65 -
37	E100G I	1W50CC 2SE ASC1 B ²⁾	257	220-240 or 230 220	50 60	50/65	60/65 -

Remark:
Explanation of type/electrical configuration:

E100F or E100G = Type of construction

I = Insulation Class

xHTy, xSy or xWy = Number of Motors and Type of Motor

xSE or xE = Number and kind of lamps ("SE" Strip Led or "E" Spot Led Lamp)

TH, CT, CTH, CT1, CSH, ASC, T1, ASC1 or TU1 = Kind of Control ("TH" Touch Controls H2H with soft first speed, "CT" Capacitive Touch Controls, "CTH" Capacitive Touch Controls H2H, "CT1" Capacitive Touch Controls with soft first speed, "CSH" Capacitive Switch Touch Controls, "ASC" Air Sensor Capacitive Touch controls, "T1" Touch Controls with soft first speed, "ASC1" Air Sensor Capacitive Touch Controls with soft first speed or "TU1" Touch Controls with soft first speed and USB charger outlet)

B = "B" tested for/at 240 V

90 or 120 = Width size (cm) - Optional part of the nomenclature

Remark: x is a number (one or more digit), y is a sequence of alphanumeric characters of any length.

¹⁾ Without number on prefix indicates one motor.

²⁾ Strip LED lamps are connected in parallel.


Additional information (if necessary)


- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

 For full legal entity names see www.ul.com/ncbnames

Date: 2022-08-23

Signature:



Jan-Erik Storgaard



Ref. Certif. No.

DK-130798-UL

Factory(ies):

ELICA GROUP POLSKA SP Z O O
Ul Inzynierska 3 Jelcz Laskowice 55-221
Poland

Additionally evaluated to:

EN 60335-1:2012, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A1:2019, EN 60335-1:2012/A2:2019, EN 60335-1:2012/A14:2019, EN 60335-1:2012/A15:2021, EN 60335-2-31:2014, EN 62233:2008
National differences specified in the CB Test Report.

Additional information (if necessary)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2022-08-23

Signature: 

Jan-Erik Storgaard