



Ref. Certif. No.

DK-139330-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Range Hood

Name and address of the applicant

Elica SPA
Via Ermanno Casoli 2 Fabriano, AN, 60044
Italy

Name and address of the manufacturer

Elica SPA
Via Ermanno Casoli 2 Fabriano, AN, 60044
Italy

Name and address of the factory

Elica SPA
Localita Montirone Mergo, AN, 60030
Italy

Note: When more than one factory, please report on page 2

[Additional Information on page 2](#)

Ratings and principal characteristics

220-240 or 230 V 50-60 Hz, 220-240 or 230 V 50 Hz, 220 V 60 Hz

[Additional Information on page 2-4](#)

Trademark / Brand (if any)



Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model / Type Ref.

E017E I and E017G I

[Additional Information on page 2-4](#)

Additional information (if necessary may also be reported on page 2)

National Differences specified in the CB Test Report.

[Additional Information on page 2](#)

A sample of the product was tested and found to be in conformity with

IEC 60335-2-31:2012, IEC 60335-2-31:2012/AMD1:2016,
IEC 60335-2-31:2012/AMD2:2018, IEC 60335-1:2010,
IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016

As shown in the Test Report Ref. No. which forms part of this Certificate

23-4790731353.12.1 issued on 2023-03-21

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2023-03-30

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

DK-139330-UL

Factory(ies):

ELICA GROUP POLSKA SP Z O O
Ul Inzynierska 3 Jelcz Laskowice 55-221
Poland

Additionally evaluated to:

EN 60335-1:2012, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A1:2019,
EN 60335-1:2012/A14:2019, EN 60335-1:2012/A2:2019, EN 60335-1:2012/A15:2021, EN 60335-2-31:2014, EN 62233:2008

Additional Model and Ratings Detail(s):

ADDITIONAL INFORMATION							
Type/Code identification							
This Test Report covers the following types, all sharing the same main constructional features: E017E I, E017G I							
Each type is associated with the following code identifying the Electrical Configuration: Type: E017E I, E017F I + Code, (i.e. E017E I 1S40EF 1E T B)							
No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric/gas Hob (cm)	Min. distance from Electric Hob /Gas Hob (cm) (only for AUS/NZL)
1	E017E I	1S40AF 1E T B	262	220-240 or 230	50-60	50/65	60/65
2	E017E I	1S48CD 2E T B	205	220-240 or 230	50-60	50/65	60/65
3	E017E I	1S48CD 2E TH B	205	220-240 or 230	50-60	50/65	60/65
4	E017E I	1SI45CG 2E TH B	265	220-240 or 230	50	50/65	60/65
5	E017E I	1S48BD 1E T B	227	220-240 or 230	50	50/65	60/65
6	E017E I	1S48CD 1E T B	227	220-240 or 230	50	50/65	60/65
7	E017E I	1S40BD 1E T B	257	220-240 or 230 220	50 60	50/65	60/65 -
8	E017E I	1S40BD 2E R B	255	220-240 or 230 220	50 60	50/50	50/50 -
9	E017E I	1SI50BB 2E T B	305	220-240 or 230	50	50/65	60/65

Additional information (if necessary)



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2023-03-30

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

DK-139330-UL

Additional Model and Ratings Detail(s) (CONT'D):

ADDITIONAL INFORMATION							
No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric/gas Hob (cm)	Min. distance from Electric Hob /Gas Hob (cm) (only for AUS/NZL)
10	E017E I	1S40CB 1SE T B	257	220-240 or 230 220	50 60	45/50	45/50 -
11	E017E I	1S40EM 1SE T1 B	217	220-240 or 230 220	50 60	50/65	60/65 -
12	E017E I	1S48CC 1E T B	277	220-240 or 230 220	50 60	50/65	60/65 -
13	E017E I	1GME11 1SE T1 B	282	220-240 or 230	50	45/50	45/50
14	E017E I	1K42CX 1SE TE B	147	220-240 or 230	50-60	45/50	45/50
15	E017E I	1S40CB 2E T B	255	220-240 or 230 220	50 60	50/50	50/50 -
16	E017E I	1S40CB 3E T B	257,5	220-240 or 230 220	50 60	50/50	50/50 -
17	E017G I	1S35CB 2E TE B	180	220-240 or 230	50-60	45/65	60/65
18	E017G I	1S40CB 1SE T B	257	220-240 or 230 220	50 60	45/65	60/65 -
19	E017E I	1S48CC 1SE AST B	277	220-240 or 230 220	50 60	50/65	60/65 -
20	E017E I	1W50CB 1SE AST B	257	220-240 or 230	50-60	50/57	52/57
21	E017G I	1K42CX 1SE TE B	147	220-240 or 230	50-60	45/65	60/65

Additional information (if necessary)



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2023-03-30

Signature:

Jan-Erik Storgaard

Additional Model and Ratings Detail(s) (CONT'D):

ADDITIONAL INFORMATION							
No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric/gas Hob (cm)	Min. distance from Electric Hob /Gas Hob (cm) (only for AUS/NZL)
22	E017E I	1S40CB 1SE AST B	257	220-240 or 230 220	50 60	50/57	52/57 -
23	E017E I	1W50CB 1SE T B	257	220-240 or 230	50-60	50/57	52/57
24	E017E I	1S48CC SE AST B	277	220-240 or 230 220	50 60	50/65	60/65 -
Explanation of type/electrical configuration:							
E017E or E017G		= Type of construction					
I		= Insulation Class					
xSy, xKy, xWy or xGMEy		= Number of Motors and Type of Motor					
xE, xSE or SE		= Number of Led Lamps ("1E", "1SE" or "SE" one 7 W Strip Led Lamp, "2E" two or "3E" LED Spot Lamps 2,5 W each)					
R, T, TE, TH, T1 or AST		= Kind of Control ("AST" Air Sensor Touch Controls, "R" Rotative Switch, "T" Touch Controls, "TE" Electro-mechanical Touch Controls, "TH" Touch Controls H2H or "T1" Touch Controls with soft first speed)					
B		= For UK (tested for/at 240V)					
Remark: x is a number (one or more digit), y is a sequence of alphanumerical characters of any length.							

Additional information (if necessary)


UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
 UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
 UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
 UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

 For full legal entity names see www.ul.com/ncbnames

Date: 2023-03-30

Signature:



Jan-Erik Storgaard