



Ref. Certif. No.

DK-151418-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	Range Hood
Name and address of the applicant	Elica SPA Via Ermanno Casoli 2 Fabriano, AN, 60044 Italy
Name and address of the manufacturer	Elica SPA Via Ermanno Casoli 2 Fabriano, AN, 60044 Italy
Name and address of the factory	Elica SPA Localita Montirone Mergo, AN, 60030 Italy <input checked="" type="checkbox"/> Additional Information on page 2
Note: When more than one factory, please report on page 2	
Ratings and principal characteristics	220-240 or 230V 50-60Hz, 220-240 or 230V 50Hz, or 220 60Hz, max 146 W <input checked="" type="checkbox"/> Additional Information on page 2-3
Trademark / Brand (if any)	
Customer's Testing Facility (CTF) Stage used	CTF Stage 2
Model / Type Ref.	E017F II <input checked="" type="checkbox"/> Additional Information on page 2-3
Additional information (if necessary may also be reported on page 2)	National Differences: EU Group Differences, AU, NZ <input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 60335-2-31:2012, IEC 60335-2-31:2012/AMD1:2016, IEC 60335-2-31:2012/AMD2:2018, IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016
As shown in the Test Report Ref. No. which forms part of this Certificate	24-4791181544.19.1 issued on 2024-03-18

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2024-03-21

Signature:
Thomas Wilson



Ref. Certif. No.

DK-151418-UL

Factory(ies):

ELICA GROUP POLSKA SP Z O O
Ul Inzynierska 3 Jelcz Laskowice, Dolnoslaskie, 55-221
Poland

Additionally evaluated to:

EN 60335-2-31:2014, EN 60335-1:2012, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A1:2019,
EN 60335-1:2012/A14:2019, EN 60335-1:2012/A2:2019, EN 60335-1:2012/A15:2021, EN 62233:2008

Additional Model and Ratings Detail(s):

ADDITIONAL INFORMATION							
Type/Code identification							
This Test Report covers the following type and associated code identifying the Electrical configuration: Type: E017F II + Code , (i.e. E017F II 1K23BN 2B P B)							
No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric hob/Gas hob (cm)	Distance from Electric Hob/Gas Hob only for AU-NZ (cm)
1	E017F II	1K23BN 2B P B	81	220-240 or 230	50-60	50/65	60/65
2	E017F II	1K23BN 2B S B	81	220-240 or 230	50-60	50/65	60/65
3	E017F II	1K23BN 2B R B	81	220-240 or 230	50-60	50/65	60/65
4	E017F II	1K28BN 2B P B	121	220-240 or 230	50-60	50/65	60/65
5	E017F II	1K28BN 2B S B	121	220-240 or 230	50-60	50/65	60/65
6	E017F II	1K28BN 2B R B	121	220-240 or 230	50-60	50/65	60/65
7	E017F II	1K42AN 2B P B	126	220-240 or 230	50-60	50/65	60/65
8	E017F II	1K42AN 2B S B	126	220-240 or 230	50-60	50/65	60/65
9	E017F II	1K42AN 2B R B	126	220-240 or 230	50-60	50/65	60/65
10	E017F II	1K42BN 2B P B	146	220-240 or 230	50-60	45/65	60/65
11	E017F II	1K42BN 2B S B	146	220-240 or 230	50-60	50/65	60/65
12	E017F II	1K42BN 2B R B	146	220-240 or 230	50-60	50/65	60/65

Additional information (if necessary)



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Denko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2024-03-21

Signature:

Thomas Wilson



Ref. Certif. No.

DK-151418-UL

Additional Model and Ratings Detail(s) (CONT'D):

No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric hob/Gas hob (cm)	Distance from Electric Hob/Gas Hob only for AU-NZ (cm)
13	E017F II	1S25AF 2B P B	121	220-240 or 230	50	50/65	60/65
				220	60		60/65
14	E017F II	1S25AF 2B S B	121	220-240 or 230	50	50/65	60/65
				220	60		60/65
15	E017F II	1S25AF 2B R B	121	220-240 or 230	50	50/65	60/65
				220	60		60/65

Remark:

Explanation of type/electrical configuration:

E017F	= Type of construction
II	= Insulation Class
xKy or xSy	= Number of Motors and Type of Motor
xB	= Number and kind of lamps ("B" Led Bulb Lamps)
P, S or R	= Kind of Control ("P" Push Button Switch, "S" Slider Switch or "R" Rotating Switch)
B	= For UK (tested for/at 240V)

Remark: x is a number (one or more digit), y is a sequence of alphanumerical characters of any length.

Additional information (if necessary)



- UL Solutions (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2024-03-21

Signature:

Thomas Wilson