

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST  
CERTIFICATES FOR ELECTRICAL EQUIPMENT  
(IECEE) CB SCHEMESYSTEME CEI D'ACCEPTATION MUTUELLE DE  
CERTIFICATS D'ESSAIS DES EQUIPEMENTS  
ELECTRIQUES (IECEE) METHODE OC**CB TEST CERTIFICATE CERTIFICAT D'ESSAI OC**Product  
Produit

Range Hood

Name and address of the applicant  
Nom et adresse du demandeurELICA SPA  
VIA DANTE 288  
FABRIANO, 60044 AN ItalyName and address of the manufacturer  
Nom et adresse du fabricantELICA SPA  
VIA DANTE 288  
FABRIANO, 60044 AN ItalyName and address of the factory  
Nom et adresse de l'usineELICA GROUP POLSKA SP Z O O  
UL INZYNIERSKA 3  
JELCZ LASKOWICE, 55-221 Poland

Note: When more than one factory, please report on page 2  
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2<sup>ème</sup> page

 Additional Information on page 2Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales

See test report

Trademark (if any)  
Marque de fabrique (si elle existe)

Elica

Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais  
constructeur

SMT

Model / Type Ref.  
Ref. De typeE023B II 1K30AD 2L P B, E023B II 1K30AD 2L S B, E023B II  
1K30AD 2F P B, E023B II 1K30AD 2F S B, E023B II 1K30AD 2F T  
B, E023B II 1K30AD 2H P B, See Page 2

Additional information (if necessary may also be  
reported on page 2)  
Les informations complémentaires (si nécessaire,,  
peuvent être indiqués sur la 2<sup>ème</sup> page

See tables page 2 and 3  
 Additional Information on page 2

A sample of the product was tested and found  
to be in conformity with  
Un échantillon de ce produit a été essayé et a été  
considéré conforme à la

IEC 60335-1(ed.4), IEC 60335-1(ed.4);am1, IEC  
60335-1(ed.4);am2, IEC 60335-2-31(ed.4), IEC  
60335-2-31(ed.4);am1, IEC 60335-2-31(ed.4);am2

As shown in the Test Report Ref. No. which forms part  
of this Certificate  
Comme indiqué dans le Rapport d'essais numéro de  
référence qui constitue partie de ce Certificat

13CA05383 issued on 2013-02-05

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat d'essai OC est établi par l'Organisme **National de Certification**



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/nbcnames](http://www.ul.com/nbcnames)

Date: 2013-02-15

Signature:

Jan-Erik Storgaard

## ADDITIONAL INFORMATION

## TYPE/CODE IDENTIFICATION

This Test Report covers the following type and associated code identifying the Electrical configuration:

**Type: E023B II + Code, (i.e. E023B II 1S35AD 2L P B)**

No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V), ac	Frequency (Hz)	Distance from Electric/gas Hob (cm)
1	E023B II	1K30AD 2H S B	160	220-240 or 230	50/60	50/65
2	E023B II	1K30AD 2L P B	200	220-240 or 230	50/60	50/65
3	E023B II	1K30AD 2L S B	200	220-240 or 230	50/60	50/65
4	E023B II	1K30AD 2L T B	200	220-240 or 230	50/60	50/65
5	E023B II	1K42AD 2L P B	260	220-240 or 230	50/60	50/65
6	E023B II	1K42AD 2L S B	260	220-240 or 230	50/60	50/65
7	E023B II	1K42AD 2H P B	220	220-240 or 230	50/60	50/65
8	E023B II	1S35AD 2H P B	220	220-240 or 230	50/60	50/65
9	E023B II	1S35AD 2L P B	260	220-240 or 230	50/60	50/65
10	E023B II	1S35AD 2L S B	260	220-240 or 230	50/60	50/65
11	E023B II	1S35AD 2H S B	220	220-240 or 230	50/60	50/65
12	E023B II	1S40AD 2L P B	330	220-240 or 230	50/60	50/65
13	E023B II	1S40AD 2L S B	330	220-240 or 230	50/60	50/65
14	E023B II	1S40AD 2H P B	290	220-240 or 230	50/60	50/65
15	E023B II	1S40AD 2H S B	290	220-240 or 230	50/60	50/65
16	E023B II	1K30AD 2A P B	176	220-240 or 230	50/60	50/65
17	E023B II	1K30AD 2A S B	176	220-240 or 230	50/60	50/65
18	E023B II	1K30AD 2A T B	176	220-240 or 230	50/60	50/65
19	E023B II	1K42AD 2A P B	236	220-240 or 230	50/60	50/65
20	E023B II	1K42AD 2A S B	236	220-240 or 230	50/60	50/65
21	E023B II	1K42AD 2A T B	236	220-240 or 230	50/60	50/65
22	E023B II	1S35AD 2A P B	236	220-240 or 230	50/60	50/65

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2013-02-15

Signature:

Jan-Erik Storgaard

No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V), ac	Frequency (Hz)	Distance from Electric/gas Hob (cm)
23	E023B II	1S35AD 2A S B	236	220-240 or 230	50/60	50/65
24	E023B II	1S40AD 2A P B	306	220-240 or 230	50/60	50/65
25	E023B II	1S40AD 2A S B	306	220-240 or 230	50/60	50/65
26	E023B II	1S40AD 2H T B	290	220-240 or 230	50/60	50/65
27	E023B II	1K42AD 2H P C	240 *	110-127	60	65/65
28	E023B II	1K30AD 2H P B	160	220-240V o 230	50/60	50/65
29	E023B II	1K30AD 2H1 S B	140	220-240 or 230	50/60	50/65
30	E023B II	1K30AD 2H1 P B	140	220-240 or 230	50/60	50/65
31	E023B II	1K30AD 2F S B	135	220-240 or 230	50/60	50/65
32	E023B II	1K30AD 2F P B	135	220-240 or 230	50/60	50/65
33	E023B II	1K30AD 2F T B	135	220-240 or 230	50/60	50/65
34	E023B II	1K42AD 2H S B	220	220-240 or 230	50/60	50/65
35	E023B II	1K42AD 2H1 S B	200	220-240 or 230	50/60	50/65
36	E023B II	1K42AD 2H1 P B	200	220-240 or 230	50/60	50/65
37	E023B II	1K42AD 2F S B	195	220-240 or 230	50/60	50/65
38	E023B II	1K42AD 2F P B	195	220-240 or 230	50/60	50/65
39	E023B II	1K42AD 2F T B	195	220-240 or 230	50/60	50/65
40	E023B II	1S40AE 2A P B	331	220-240 or 230	50/60	50/65
41	E023B II	1S40AE 2A S B	331	220-240 or 230	50/60	50/65
42	E023B II	1S40AE 2F P B	290	220-240 or 230	50/60	50/65
43	E023B II	1S40AE 2F S B	290	220-240 or 230	50/60	50/65
44	E023B II	1S40AE 2H P B	315	220-240 or 230	50/60	50/65
45	E023B II	1S40AE 2H1 P B	295	220-240 or 230	50/60	50/65

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2013-02-15

Signature:   
 Jan-Erik Storgaard

46	E023B II	1S40AE 2H S B	315	220-240 or 230	50/60	50/65
47	E023B II	1S40AE 2H1 S B	295	220-240 or 230	50/60	50/65
48	E023B II	1S40AE 2H T B	315	220-240 or 230	50/60	50/65
49	E023B II	1S40AE 2H1 T B	295	220-240 or 230	50/60	50/65
50	E023B II	1S40AM 2A P B	306	220-240 or 230	50/60	50/65
51	E023B II	1S40AM 2A S B	306	220-240 or 230	50/60	50/65
52	E023B II	1S40AM 2F P B	265	220-240 or 230	50/60	50/65
53	E023B II	1S40AM 2F S B	265	220-240 or 230	50/60	50/65
54	E023B II	1S40AM 2H P B	290	220-240 or 230	50/60	50/65
55	E023B II	1S40AM 2H1 P B	270	220-240 or 230	50/60	50/65
56	E023B II	1S40AM 2H S B	290	220-240 or 230	50/60	50/65
57	E023B II	1S40AM 2H1 S B	270	220-240 or 230	50/60	50/65
58	E023B II	1S40AM 2H T B	290	220-240 or 230	50/60	50/65
59	E023B II	1S40AM 2H1 T B	270	220-240 or 230	50/60	50/65

Remark: \*) 240 W is referring to all rated voltage of rated voltage range 110-127 V. See Table 10.1 for acceptable deviation.

Explanation of type/electrical configuration:

E023B	= Type of construction
II	= Insulation Class
.K.... or .S....	= Number and kind of Motors
.L, .A, .H. or .F	= Number and kind of lamps ("L" Incandescent Bulb Lamp, "A" high voltage Halogen Lamps, "H" Lamp 20W, "H1" Lamp 10W) low voltage halogen lamps or "F" CFL lamps)
P, S or T	= Kind of control ("P" Push button switch, "S" Slider switch or "T" Touch Control)
B or C	= Voltage Ratings ( "B" include 240 V, "C" 110-127 V)

Remark: N/A

#### Additional information (if necessary)

#### Information complémentaire (si nécessaire)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2013-02-15

Signature:



Jan-Erik Storgaard



Ref. Certif. No.

**DK-31064-UL**

Factories:

ELICA SPA  
CONTRADA SERRALTA 49/A  
SERRA SAN QUIRICO, 60048 AN Italy

ELICA SPA  
LOCALITA MONTIRONE  
MERGO, 60030 AN Italy

Additional Information:

Additionally evaluated to EN 60335-2-31:2003 / A1:2006 / A2:2009, EN 60335-1:2002 / A1:2004 / A2:2006 / A11:2004 / A12:2006 / A13:2008 / A14:2010 / A15:2011. EN 62233:2008.; National Differences specified in the CB Test Report.

**Additional information (if necessary)**  
**Information complémentaire (si nécessaire)**



- UL (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2013-02-15

Signature: Jan-Erik Storgaard