



Ref. Certif. No.

DK-56216-A2-UL

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME**

CB TEST CERTIFICATE

Product	Range Hood
Name and address of the applicant	Elica SPA VIA ERMANNOCASOLI 2 FABRIANO, 60044 AN Italy
Name and address of the manufacturer	Elica SPA VIA ERMANNOCASOLI 2 FABRIANO, 60044 AN Italy
Name and address of the factory <small>Note: When more than one factory, please report on page 2</small>	ELICA GROUP POLSKA SP Z O O UL INZYNIERSKA 3 JELCZ LASKOWICE, 55-221 Poland <input checked="" type="checkbox"/> Additional Information on page 2
Ratings and principal characteristics	220-240 or 230V 50/60Hz, 220-240 or 230V 50Hz, Max 380W See Test Report for details
Trademark (if any)	Elica
Type of Customer's Testing Facility (CTF) Stage used	CTF Stage 1
Model / Type Ref.	E122A I, E122B I See Page 2
Additional information (if necessary may also be reported on page 2)	<input checked="" type="checkbox"/> Additional Information on page 2
A sample of the product was tested and found to be in conformity with	IEC 60335-1(ed.5), IEC 60335-2-31(ed.5)
As shown in the Test Report Ref. No. which forms part of this Certificate	4788325085.4.1 issued on 2018-01-26

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2018-02-01
Original Issue Date: 2016-07-12

Signature:

Jan-Erik Storgaard



Ref. Certif. No.

DK-56216-A2-UL

Model Details:

ADDITIONAL INFORMATION						
Type/Code identification						
This Test Report covers the following types, all sharing the same main constructional features: E122A I and E122B I Each type is associated with the following code identifying the Electrical Configuration: E122A I and E122B I + Code, (i.e. E122A I 2S25 2H E B)						
ELECTRICAL CONFIGURATIONS EVALUATED IN THE PREVIOUS TEST REPORT (ORIG.):						
No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric/gas Hob (cm)
1	E122A I	2S25 2H E B	260	220-240 or 230	50	43/65
2	E122A I	2S25 2H T B	260	220-240 or 230	50	43/65
3	E122A I	2S25 2L T B	300	220-240 or 230	50	43/65
4	E122A I	2S25 P S B	235	220-240 or 230	50	43/65
5	E122A I	2S25 2P E B	250	220-240 or 230	50	43/65
6	E122A I	2S25 2P T B	250	220-240 or 230	50	43/65
7	E122A I	2S25 2P S B	250	220-240 or 230	50	43/65
8	E122A I	2M30 P T B	315	220-240 or 230	50/60	43/65
9	E122A I	2M30 2L T B	380	220-240 or 230	50/60	43/65
10	E122A I	2M30 2L S B	380	220-240 or 230	50/60	43/65
11	E122A I	2M30 P E B	315	220-240 or 230	50/60	43/65
12	E122A I	2S25 2L E B	300	220-240 or 230	50	43/65
13	E122A I	2S25 P E B	235	220-240 or 230	50	43/65
14	E122A I	2M30 2A S B	356	220-240 or 230	50/60	43/65
15	E122A I	2M30 2A T B	356	220-240 or 230	50/60	43/65
16	E122A I	2S25 2A E B	276	220-240 or 230	50	43/65
17	E122A I	2S25 2A T B	276	220-240 or 230	50	43/65
18	E122A I	2S25 2L S B	300	220-240 or 230	50	43/65
19	E122A I	2S25 2A S B	276	220-240 or 230	50	43/65
20	E122A I	2K37 2A S B	316	220-240 or 230	50/60	43/65
21	E122A I	2K37 2A T B	316	220-240 or 230	50/60	43/65
22	E122A I	2K37 P E B	270	220-240 or 230	50/60	43/65
23	E122A I	2K37 P T B	270	220-240 or 230	50/60	43/65
24	E122A I	2S25 2H S B	260	220-240 or 230	50	43/65
25	E122A I	2S30 P S B	310	220-240 or 230	50/60	43/65
26	E122B I	2M30 2L I B	380	220-240 or 230	50/60	50/65

Additional information (if necessary)



- UL (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/nbcnames

Date: 2018-02-01
Original Issue Date: 2016-07-12

Signature: 
Jan-Erik Storgaard



Ref. Certif. No.

DK-56216-A2-UL

Model Details:

No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric/gas Hob (cm)
27	E122B I	2M30 2A I B	356	220-240 or 230	50/60	50/65
28	E122B I	2K37 2L I B	340	220-240 or 230	50/60	50/65
29	E122B I	2K37 2A I B	316	220-240 or 230	50/60	50/65
ELECTRICAL CONFIGURATIONS EVALUATED IN THE PRESENT TEST REPORT (AMEND.1):						
30	E122A I	2K37 2B S B	266	220-240 or 230	50/60	43/65
31	E122A I	2K37 2B T B	266	220-240 or 230	50/60	43/65
32	E122A I	2S25 2B E B	226	220-240 or 230	50	43/65
33	E122A I	2S25 2B S B	226	220-240 or 230	50	43/65
34	E122A I	2S25 2B T B	226	220-240 or 230	50	43/65
35	E122B I	2K37 2B I B	266	220-240 or 230	50/60	50/65
ELECTRICAL CONFIGURATIONS EVALUATED IN THE PRESENT TEST REPORT (AMEND.2):						
36	E122A I	2S25 2ED T B	226	220-240 OR 230	50	43/65
Explanation of type/electrical configuration:						
E122A or E122B		= Type of construction				
I		= Insulation Class				
xSy , xKy or xMy		= Number of Motors and Type of Motor				
xL, xA, xH, xP or xB or xED		= Number and kind of lamps ("L" Incandescent Bulb Lamp, "A" high voltage Halogen Lamps, "H" low voltage halogen lamps, "P" fluorescent lamps or "B" Bulb LED Lamp, "ED" LED Dichroic Lamp) ¹⁾				
I, E, S or T		= Kind of Control ("I" Rocker Switches, "E" Electronic slider with mechanical switches, "S" Slider switch or "T" Touch Control)				
B		= For UK (tested for/at 240V)				
Remark: x is a number (one or more digit), y is a sequence of alphanumeric characters of any length (see Type/Code identification table). ¹⁾ without number on prefix indicates one Lamp						

Factories:

ELICA SPA
LOCALITA MONTIRONE
MERGO, 60030 AN Italy

Additional Information:

Additional evaluated to EN 60335-1:2012/ A11:2014, EN 60335-2-31:2014 and EN 62233:2008
National Differences specified in the CB Test Report

The original report was modified to include the following technical changes/additions:

- Addition of new model
- Addition of new Light Assembly LA 0141 provided with new Led Driver DC 10W 12V KU2 and new Lampholder 5031/308.
- In LA 0031 addition of new alternative lampholder K505B

Additional information (if necessary)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2018-02-01
Original Issue Date: 2016-07-12

Signature:

Jan-Erik Storgaard