

DK-62952-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)

CB TEST CERTIFICATE

Product Range Hood

Name and address of the applicant Elica S.p.A.

Via Ermanno Casoli 2, I - 60044 Fabriano (AN) - Italy

Name and address of the manufacturer Elica S.p.A.

Via Ermanno Casoli 2, I - 60044 Fabriano (AN) - Italy

Name and address of the factory Elica S.p.A.

Località Montirone I-60030 Mergo (AN) Note: When more than one factory, please report on page 2

ITALY

Additional Information on page 2

Ratings and principal characteristics 220-240 or 230V 50Hz, max 317W

(See Page2 for details)

Trademark (if any) Elica

Type of Customer's Testing Facility (CTF) Stage used CTF Stage 3

Model / Type Ref. D127 I (See Page 2 for Type/Code Identification)

Additional information (if necessary may also be reported on page 2)

A sample of the product was tested and found to be in conformity with

As shown in the Test Report Ref. No. which forms part of this Certificate

Additional Information on page 2

IEC 60335-1(ed.5), IEC 60335-2-31(ed.5)

4787838110.3.1 issued on 2017-04-12

This CB Test Certificate is issued by the National Certification Body



Date: 2017-05-02

UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

Signature:

For full legal entity names see www.ul.com/ncbnames

Jan-Erik Storgaard



DK-62952-UL

Factories:

ELICA GROUP POLSKA Sp. z o.o. UI Inzynierska 3, 55221 Jelcz Laskowice **POLAND**

Additional Information:

Additionally evaluated to EN 60335-1:2012/ A11:2014, EN 60335-2-31:2014, EN 62233:2008 and IEC 60335-1/ A1:2013. National Differences specified in the CB Test Report.

Model a	nd rating det	ails:						
	Type/Code identification							
	This Test	This Test Report covers the following type and associated code identifying the Electrical configuration:						
	Type: D127 I + code (i.e. D127 I 1SI40CC 2SE ASC1 B).							
No.	Туре	Code (Electrical Configuration)		Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric/gas Hob (cm)	
1	D127 I	1SI40CC 2SE ASC1 B		317	220-240 or 230	50	50/65	
2	D127 I	1SI25A0	S 2SE ASC1 B	267	220-240 or 230	50	50/65	
	Explanation of type/electrical configuration:							
	D127		= Type of construction					
	I		= Insulation Class					
	xSy		= Number of Motors and Type of Motor					
	xSE		= Number and kind of lamps ("SE" Strip Led Lamp)					
	ASC1		= Kind of Controls ("ASC" Air Sensor Capacitive Touch Control with soft first speed and remote communication)					
	В		= "B" tested for/at 240 V					
	Remark: x is a number (one or more digits), y is a sequence of alphanumerical characters of any length.							

Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2017-05-02

Signature:

Jan-Erik Storgaard