

DK-64995-M1-UL

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)

CB TEST CERTIFICATE

Product Range Hood

Name and address of the applicant Elica SPA

> VIA ERMANNO CASOLI 2 FABRIANO, 60044 AN Italy

Name and address of the manufacturer Elica SPA

VIA ERMANNO CASOLI 2 FABRIANO, 60044 AN Italy

Name and address of the factory Elica S.p.A.

Località Montirone I-60030 Mergo (AN) Note: When more than one factory, please report on page 2

ITALY

Additional Information on page 2

Ratings and principal characteristics 220-240 or 230V 50/60Hz, 220-240 or 230V 50Hz, 220V 60Hz or

110-127V 60Hz; Max 395W (See test report for details)

Elica Trademark (if any)

Type of Customer's Testing Facility (CTF) Stage used CTF Stage 1

Model / Type Ref. E076D I, E076E I

See Page 2 and Test Report for details

Additional information (if necessary may also be reported on page 2)

A sample of the product was tested and found

to be in conformity with

As shown in the Test Report Ref. No. which forms part

of this Certificate

Additional Information on page 2

IEC 60335-1(ed.5), IEC 60335-2-31(ed.5)

4788430047.6.1 issued on 2018-05-17

This CB Test Certificate is issued by the National Certification Body



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Signature: Date: 2018-05-22

Original Issue Date: 2017-07-10

Jan-Erik Storgaard



DK-64995-M1-UL

Model Details:

E076D I, E076E I:

Explanation of type/electrical configuration:	
E076D or E076E	= Type of construction
I	= Insulation Class
xKy , xSy or xV	= Number and kind of Motors or one Valve
xL, xA, xH, xH1, xN, xNA, xNB, xE, xB or xED	= Number and kind of lamps "L" Incandescent Bulb Lamp, "A" line voltage Halogen Lamps, low voltage halogen lamp: "H" 20 W, "H1" 10 W, tubular fluorescent lamp: "N" 21 W, "NA" 28 W or "NB" 14 W; "E" Led Spot Lamp, "B" Led Bulb Lamp or "ED Low Voltage Dichroic Led Lamp. 1)
P, R, S or T	= Kind of Control ("P" mechanical push buttons, "R" Rotative Switch, "S" Slider, "T" Touch Control)
B or E	= Kind of supply voltage ("B" tested for/at 240V or "E" tested for/at 110-127 V)

Remark: x is a number (one or more digit(s)), y is a sequence of alphanumerical characters of any length.

1) Without Number on prefix indicates one Lamp

Factories:

ELICA GROUP POLSKA Sp. z o.o. UI Inzynierska 3, 55221 Jelcz Laskowice POLAND

Additional Information:

Additionally evaluated to EN 60335-1:2012/ A11:2014, EN 60335-2-31:2014, EN 62233:2008 and IEC 60335-1/A1:2013(Ed.5.1); National Differences specified in the CB Test Report.

The original report was modified to include the following changes/additions:

- Addition of the new type/electrical configurations
- •Update the "Explanation of type/electrical configuration"
- · Addition of new Light Assembly LA0141 provided with new Lampholder 333 and new LED Driver
- · Addition of new alternative components

Additional information (if necessary)



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2018-05-22

Original Issue Date: 2017-07-10

Signature:

Jan-Erik Storgaard