

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

CB TEST CERTIFICATE

Product

Range Hood

Name and address of the applicant

Elica SPA
VIA ERMANNOCASOLI 2
FABRIANO, 60044 AN Italy

Name and address of the manufacturer

Elica SPA
VIA ERMANNOCASOLI 2
FABRIANO, 60044 AN Italy

Name and address of the factory

Note: When more than one factory, please report on page 2

ELICA GROUP POLSKA SP Z O O
UL INZYNIERSKA 3
JELCZ LASKOWICE, 55-221 Poland
 Additional Information on page 2

Ratings and principal characteristics

220-240 or 230 V, 50/60 Hz, 315 W max
(See test report for details)

Trademark (if any)



Type of Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model / Type Ref.

E112 I, E112A I
See page 2

Additional information (if necessary may also be reported on page 2)

 Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60335-1:2010, IEC 60335-2-31:2012

As shown in the Test Report Ref. No. which forms part of this Certificate

18-4788571150.15.1 issued on 2018-10-19

This CB Test Certificate is issued by the National Certification Body



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2018-10-25

Signature:

Jan-Erik Storgaard

Factories:

ELICA SPA
LOCALITA MONTIRONE
MERGO, 60030 AN Italy

Additional Information:

Additionally evaluated to EN 60335-1:2012/A11:2014/A13:2017, EN 60335-2-31:2014, EN 62233:2008, AS/NZS 60335.1:2011/A1:2012/A2:2014/A3:2015, AS/NZS 60335.2.31:2013/A1:2015 and IEC 60335-1:2010/A1:2013 National Differences specified in the CB Test Report

ADDITIONAL INFORMATION						
Type/Code identification						
This Test Report covers the following types, all sharing the same main constructional features: Type/Electrical configuration: E112 I + Code (i.e. E112 I 1S40AC 2H P B) or E112A I + Code (i.e. E112A I 1S40AE 2H TE B)						
No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric/gas Hob (cm)
1	E112 I	1S40AC 2H P B	290	220-240 or 230	50/60	50/65
2	E112 I	1S40AC 2H T B	290	220-240 or 230	50/60	50/65
3	E112 I	1S40AC 2H TE B	290	220-240 or 230	50/60	50/65
4	E112 I	1S40AF 2H P B	295	220-240 or 230	50/60	50/65
5	E112 I	1S40AF 2H T B	295	220-240 or 230	50/60	50/65
6	E112 I	1S40AF 2H TE B	295	220-240 or 230	50/60	50/65
7	E112 I	1S40AE 2H P B	315	220-240 or 230	50/60	50/65
8	E112 I	1S40AE 2H T B	315	220-240 or 230	50/60	50/65
9	E112 I	1S40AE 2H TE B	315	220-240 or 230	50/60	50/65
10	E112A I	1S40AC 2H P B	290	220-240 or 230	50/60	50/65
11	E112A I	1S40AC 2H T B	290	220-240 or 230	50/60	50/65
12	E112A I	1S40AC 2H TE B	290	220-240 or 230	50/60	50/65
13	E112A I	1S40AF 2H P B	295	220-240 or 230	50/60	50/65
14	E112A I	1S40AF 2H T B	295	220-240 or 230	50/60	50/65
15	E112A I	1S40AF 2H TE B	295	220-240 or 230	50/60	50/65

Additional information (if necessary)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/names

Date: 2018-10-25

Signature:
Jan-Erik Storgaard

16	E112A I	1S40AE 2H P B	315	220-240 or 230	50/60	50/65
17	E112A I	1S40AE 2H T B	315	220-240 or 230	50/60	50/65
18	E112A I	1S40AE 2H TE B	315	220-240 or 230	50/60	50/65
19	E112 I	1S40AC 2ED P B	256	220-240 or 230	50/60	50/65
20	E112 I	1S40AC 2ED T B	256	220-240 or 230	50/60	50/65
21	E112 I	1S40AF 2ED P B	261	220-240 or 230	50/60	50/65
22	E112A I	1S40AC 2ED P B	256	220-240 or 230	50/60	50/65
23	E112A I	1S40AC 2ED T B	256	220-240 or 230	50/60	50/65
24	E112 I	1S40BD 2ED P B	256	220-240 or 230	50/60	50/65
25	E112 I	1S40BD 2ED T B	256	220-240 or 230	50/60	50/65

Remark:

Explanation of type/electrical configuration:

E112 or E112A	= Type of construction ("E112" wall mounted, "E112A" ceiling mounted)
I	= Insulation Class
xSy	= Number of Motors and Type of Motor
xH or xED	= Kind of Lamps ("H" low voltage dichroic halogen lamp or "ED" low voltage dichroic led lamp)
TE, T or P	= Kind of Control ("TE" Electro-mechanic Touch Control, "T" Touch Control" or "P" Push Button switch)
B	= For UK (tested for/at 240V)

Remark: x is a number (one or more digit), y is a sequence of alphanumeric characters of any length. 1) without number on prefix indicates one Motor

Additional information (if necessary)


UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

 For full legal entity names see www.ul.com/ncbnames

Date: 2018-10-25

Signature:

Jan-Erik Storgaard