

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE)
CB SCHEME

CB TEST CERTIFICATE

Product

Range Hood

Name and address of the applicant

Elica SPA
VIA ERMANNOCASOLI 2
FABRIANO, 60044 AN Italy

Name and address of the manufacturer

Elica SPA
VIA ERMANNOCASOLI 2
FABRIANO, 60044 AN Italy

Name and address of the factory

*Note: When more than one factory, please report on page 2*ELICA GROUP POLSKA SP Z O O
Ul Inzynierska 3
Jelcz Laskowice, 55-221 Poland [Additional Information on page 2](#)

Ratings and principal characteristics

220-240 or 230V, 50-60Hz, max 468 W
See Page 2

Trademark / Brand (if any)



Type of Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model / Type Ref.

K02 I
See Page 2

Additional information (if necessary may also be reported on page 2)

 [Additional Information on page 2](#)

A sample of the product was tested and found to be in conformity with

IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016,
IEC 60335-1:2010, IEC 60335-2-31:2012/AMD1:2016, IEC
60335-2-31:2012

As shown in the Test Report Ref. No. which forms part of this Certificate

19-4789196615.6.1 issued on 2019-11-12

This CB Test Certificate is issued by the National Certification Body



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Denko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/nbcnames

Date: 2019-11-13

Signature:

Jan-Erik Storgaard

Model Details:

ADDITIONAL INFORMATION						
Type/Code identification						
This Test Report covers the following type and associated code identifying the Electrical configuration:						
Type/Electrical configuration: K02 I + Code, (i.e. K02 I 1S48BD E T B)						
No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Distance from Electric/gas Hob (cm)
1	K02 I	1S48BD E T B	225	220-240 or 230	50-60	50/65
2	K02 I	1S48BD E3B T B	234	220-240 or 230	50-60	50/65
3	K02 I	2S48BD 2E6B T B	468	220-240 or 230	50-60	50/65
4	K02 I	M E3B T B	144	220-240 or 230	50-60	50/65
5	K02 I	2M 2E6B T B	288	220-240 or 230	50-60	50/65
Explanation of type/electrical configuration:						
K02		= Type of construction				
I		= Insulation Class				
xSy or xMy		= Number of Motors and Type of Motor				
xE and xB		= Number of "E" Line-voltage Led (5W each), or "B" Led Bulb (3W each) Lamps.				
T		= Kind of Control (Touch control)				
B		= For UK (tested for/at 240V)				
Remark: x is a number (one or more digit), y is a sequence of alphanumeric characters of any Length.						

Factories:

Elica SPA
Localita Montirone
Mergo, 60030 AN Italy

Additional Information:

Additionally evaluated to: EN 60335-1:2012/A11:2014/A13:2017, EN 60335-2-31:2014 and EN 62233:2008
National differences specified in the CB Test Report

Additional information (if necessary)



- UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Date: 2019-11-13

Signature:



Jan-Erik Storgaard