

### **DK-90408-UL**

# IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

#### **CB TEST CERTIFICATE**

Product

Range Hood

Name and address of the applicant

Elica SPA VIA ERMANNO CASOLI 2

FABRIANO, 60044 AN Italy

Name and address of the manufacturer

Elica SPA

VIA ERMANNO CASOLI 2 FABRIANO, 60044 AN Italy

Name and address of the factory

ELICA GROUP POLSKA SP Z O O

UI Inzynierska 3

Note: When more than one factory, please report on page 2

Jelcz Laskowice, 55-221 Poland
Additional Information on page 2

Ratings and principal characteristics

220-240 or 230V 50Hz, 220V 60Hz, Max 255W

See Page 2

Trademark / Brand (if any)



Type of Customer's Testing Facility (CTF) Stage used

CTF Stage 3

Model / Type Ref.

D100D I and D100E I See Page 2

Additional information (if necessary may also be reported on page 2)

Additional Information on page 2

A sample of the product was tested and found to be in conformity with

IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016, IEC 60335-1:2010, IEC 60335-2-31:2012/AMD1:2016, IEC 60335-2-31:2012

As shown in the Test Report Ref. No. which forms part of this Certificate

19-4789196615.5.1 issued on 2019-11-28

This CB Test Certificate is issued by the National Certification Body



Date: 2019-12-03

UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see www.ul.com/ncbnames

Signature:

Jan-Erik Storgaard



### **DK-90408-UL**

#### Model details

	ADDITIONAL INFORMATION  Type/Code identification  This Test Report covers the following type and associated code identifying the Electrical configuration:  Type: D100D I + Code, (i.e. D100D I 1S48BD 2E ASC B)						
No.	Туре	Code (Electrical Configuration)		Rated Input	Rated Voltage	Frequency	Distance from Electric/gas Hob (cm)
				(W)	(V)	(Hz)	
1	D100	1S48BD 2E ASC B		225	220-240 or 230	50	50/65
	DΙ				220	60	
2	D100	1S48BD 4E ASC B		230	220-240 or 230	50	50/65
	ΕI				220	60	
3	D100	1S40CB 2E WCT1 B		055	220-240 or 230	50	50/65
	DΙ			255	220	60	
	Explanation of type/electrical configuration:						
	D100D or D100E		= Type of construction				
	I		= Insulation Class				
	xSy		= Number of Motors and Type of Motor				
	хE		= Number and kind of lamps ("E" Spot Led Lamp)				
	ASC or WCT1		= Kind of Control ("ASC" Air Sensor Capacitive Touch Control or "WCT1" Capacitive				
			Touch Control with soft first speed and Wi-Fi connection)				
	В		= For UK (tested for/at 240V) umber (one or more digit), y is alphanumerical string (see Type/Code identification table				

Factories:

Elica SPA Localita Montirone Mergo, 60030 AN Italy

Additional Information:

Additionally evaluated to: EN 60335-1:2012/A11:2014/A13:2017, EN 60335-2-31:2014 and EN 62233:2008 National differences specified in the CB Test Report

## **Additional information (if necessary)**



UL (US), 333 Pfingsten Rd IL 60062, Northbrook, USA

UL (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK

UL (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN

UL (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

lan out Supernal

For full legal entity names see www.ul.com/ncbnames

Date: 2019-12-03

Signature:

Jan-Erik Storgaard