

DECLARATION OF CONFORMITY



Name and address
of the manufacturer: **ELICA S.p.A.**
via Ermanno Casoli 2, 60044 Fabriano (AN) ITALY

Product: **Domestic Range Hood**

Type Ref. **E077 I**

Model ID: **E077XXI-aaa-bbb**
Model ID is always a string of 15 alphanumeric characters, where the first 7 digits identify the type. Any blank digit is replaced with the letter X.

aaa = [001 ÷ 999] Electrical Configuration Code
(see annex 1)

bbb = [001 ÷ 999] Energy Label & Ecodesign Directive Code
(each code identify a specific set of performances)

Elica S.p.A. declares under its sole responsibility that the risk analysis conducted on the products, subject of the present declaration, has highlighted that all potential risks associated with them are of electrical, mechanical or thermal nature; furthermore they can be related to possible fire hazards, electromagnetic interference disturbances or to the presence of hazardous chemicals. It is deemed that the requirements, defined by Directives and harmonized standards listed below, are such as to cover the risks mentioned above.

ELICA S.p.A. declares under its sole responsibility that the product(s) described above are in conformity with the following European Directives and Regulations:

SAFETY

Directive 2014/35/EU of the European parliament and of the Council of 26 February 2014 on the harmonisation of the laws of Member States relating to electrical equipment designed for use within certain voltage limits.

Applied Standards:

EN 60335-1:2012 + A11:2014 + A13:2017

EN 62233:2008

EN 60335-2-31:2014

EMC

Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the approximation of the laws of the Member States relating to electromagnetic compatibility

Applied Standards:

EN 55014-1:2017

EN 61000-3-2:2014

EN 55014-2:2015

EN 61000-3-3:2013

RoHS

Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain substances in electrical and electronic equipment.

Commission Delegated Directive (EU) 2015/863 of 31 March 2015, amending Annex II to Directive 2011/65/EU of the European Parliament and of the Council as regards the list of restricted substances.

Applied Standards:

EN 50581:2012 (EN62321:2008)

ECODESIGN

DIRECTIVE 2009/125/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 21 October 2009 establishing a framework for the setting of ecodesign requirements for energy-related products

- **COMMISSION REGULATION (EU) No 66/2014 of 14 January 2014 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for domestic ovens, hobs and range hoods**

Applied Standards:

EN 61591:1997 + A1:2006 + A2:2011 + A11:2014 + A12:2015; EN 60704-1:2010 + A11:2012;
EN 60704-2-13:2011; EN 50564:2011; ISO 5167-1:2003; ISO 5167-3:2003; ISO 3741:2010.

- **COMMISSION REGULATION (EU) No 327/2011 of 30 March 2011 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for fans driven by motors with an electric input power between 125 W and 500 kW**
- **COMMISSION REGULATION (EC) No 244/2009 of 18 March 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for non-directional household lamps**
- **COMMISSION REGULATION (EC) No 245/2009 of 18 March 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for fluorescent lamps without integrated ballast, for high intensity discharge lamps, and for ballasts and luminaires able to operate such lamps, and repealing Directive 2000/55/EC of the European Parliament and of the Council**
- **COMMISSION REGULATION (EU) No 1194/2012 of 12 December 2012 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for directional lamps, light emitting diode lamps and related equipment**
- **COMMISSION REGULATION (EU) No 2015/1428 of 25 August 2015, amending Commission Regulation (EC) No 244/2009 with regard to ecodesign requirements for non-directional household lamps and Commission Regulation (EC) No 245/2009 with regard to ecodesign requirements for fluorescent lamps without integrated ballast, for high intensity discharge lamps, and for ballast and luminaires able to operate such lamps and repealing Directive 2000/55/EC of the European Parliament and of the Council and Commission Regulation (EU) No. 1194/2012 with regard to ecodesign requirements for directional lamps, light emitting diode lamps and related equipment.**

ELICA S.p.A. declares under its sole responsibility that the product(s) described above are also in conformity with the following additional European Directives and Regulations not mandatory for CE marking:

LABELLING

Regulation (EU) 2017/1369 of the European Parliament and of the Council of 4 July 2017 setting a framework for energy labelling and repealing Directive 2010/30/EU.

- **COMMISSION DELEGATED REGULATION (EU) No 65/2014 of 1 October 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to the energy labelling of domestic ovens and range hoods**

REACH

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC .

Signed for and on behalf of manufacturer:

Fabriano lì 01/07/2019

Antonio Recinella
Chief Executive Officer



ANNEX 1

Explation of Type code/Electrical configuration:

E077 = Typology of construction

I = Insulation Class

xKy, xSy, xSIy, xSBy, xWEy or xMy = Number and Typology of Motor(s)

xL, xA, xB, xH, xH1, xF, xE, xN, xNA, xNB, xSE or xP = Number and typology of lamps

P, S, E, T, R, TE, CT, ST, AST, RFT, SH, ST, PT, ASC, SH, IT or T1 = Kind of control(s)

A, B, C, D, E or H = Voltage and Frequency ratings

Remark: "x" = is a number (one or more digit) and "y" = is alphanumerical string.

TYPE: E077 I

Electrical Configuration Code aaa = [001 ÷ 999]	Electrical Configuration	Electrical Configuration Code aaa = [001 ÷ 999]	Electrical Configuration
001	1K42AC 2H CT B	036	1S40AE 2H1 T B
002	1K42AC 2H P B	037	1S40AE 2H1R T B
003	1K42AC 2H T B	038	1S40AE 2HR T B
004	1S35AA 3H RFT B	039	1S40AE 3H RFT B
005	1S35AA 4H CT B	040	1S40AE 3H1 RFT B
006	1S35AA 5H CT B	041	1S40AE 4H CT B
007	1S35AA P CT B	042	1S40AE 4H RFT B
008	1S35AG 2H T B	043	1S40AE 4H T B
009	1S35AG 3H RFT B	044	1S40AE 4H1 CT B
010	1S35AG 4H RFT B	045	1S40AE 4H1 RFT B
011	1S35AG 4H T B	046	1S40AE 4H1 T B
012	1S35AG 4HN T B	047	1S40AE 4H1N T B
013	1S35AG 5H CT B	048	1S40AE 4HN T B
014	1S35AG 5H RFT B	049	1S40AE 5H CT B
015	1S35AG P CT B	050	1S40AE 5H RFT B
016	1S35AG P RFT B	051	1S40AE 5H1 CT B
017	1S35AH 2H T B	052	1S40AE 5H1 RFT B
018	1S35AH 3H RFT B	053	1S40AE P CT B
019	1S35AH 4H CT B	054	1S40AE P RFT B
020	1S35AH 5H CT B	055	1S40AF 2E R B
021	1S35AH 5H RFT B	056	1S40AF 2E T B
022	1S35AH P T B	057	1S40AF 2H CT B
023	1S40AA 4H CT B	058	1S40AF 2H P B
024	1S40AA 5H CT B	059	1S40AF 2H R B
025	1S40AB 2H T B	060	1S40AF 2H T B
026	1S40AE 2E CT B	061	1S40AF 2H1 CT B
027	1S40AE 2E R B	062	1S40AF 2H1 P B
028	1S40AE 2E T B	063	1S40AF 2H1 R B
029	1S40AE 2H CT B	064	1S40AF 2H1 T B
030	1S40AE 2H P B	065	1S40AF 2H1R T B
031	1S40AE 2H R B	066	1S40AF 2HR T B
032	1S40AE 2H T B	067	1S40AF 3H RFT B
033	1S40AE 2H1 CT B	068	1S40AF 3H1 RFT B
034	1S40AE 2H1 P B	069	1S40AF 4H CT B
035	1S40AE 2H1 R B	070	1S40AF 4H RFT B

Electrical Configuration Code aaa = [001 ÷999]	Electrical Configuration	Electrical Configuration Code aaa = [001 ÷999]	Electrical Configuration
071	1S40AF 4H T B	122	1S40AM P RFT B
072	1S40AF 4H1 CT B	123	1S50AC 2H CT B
073	1S40AF 4H1 RFT B	124	1SI45AC 1E CT B
074	1S40AF 4H1 T B	125	1SI45AM 1E CT B
075	1S40AF 4H1N T B	126	1SI45AC 2E CT B
076	1S40AF 4HN T B	127	1S40BD 2H1 T B
077	1S40AF 5H CT B	128	1S40BD 2H CT B
078	1S40AF 5H RFT B	129	1S40BD 2E CT B
079	1S40AF 5H1 CT B	130	1S40BD 2H P B
080	1S40AF 5H1 RFT B	131	1S35BB 2H P B
081	1S40AF P CT B	132	1S40BD 2E PT B
082	1S40AF P RFT B	133	1SI50BB 1SE CT B
083	1S40AG 2E CT B	134	1S40BD 2H1 TE B
084	1S40AG 2E R B	135	1S48BD 2H1 T B
085	1S40AG 2E T B	136	1S48BD 2ER T B
086	1S40AG 2H CT B	137	1S48BD 2H T B
087	1S40AG 2H P B	138	1S48BD 2H TE B
088	1S40AG 2H R B	139	1S48BD 2E TE B
089	1S40AG 2H T B	140	1S40BD 2E R B
090	1S40AG 2HR T B	141	1S40BD 2E T B
091	1S40AG 2N CT B	142	1S40BD 2H1 CT B
092	1S40AG 4H CT B	143	1S40BD 2H1 P B
093	1S40AH 2H T B	144	1S40BD 2H1 R B
094	1S40AM 2E CT B	145	1S40BD 2H1R T B
095	1S40AM 2E R B	146	1S40BD 2H R B
096	1S40AM 2E T B	147	1S40BD 2HR T B
097	1S40AM 2H CT B	148	1S40BD 2H T B
098	1S40AM 2H P B	149	1S40BD 2H TE B
099	1S40AM 2H R B	150	1S40BD 3H RFT B
100	1S40AM 2H T B	151	1S40BD 3H1 RFT B
101	1S40AM 2H1 CT B	152	1S40BD 4H1 CT B
102	1S40AM 2H1 P B	153	1S40BD 4H1N T B
103	1S40AM 2H1 R B	154	1S40BD 4H1 RFT B
104	1S40AM 2H1 T B	155	1S40BD 4H1 T B
105	1S40AM 2H1R T B	156	1S40BD 4H CT B
106	1S40AM 2HR T B	157	1S40BD 4HN T B
107	1S40AM 3H RFT B	158	1S40BD 4H RFT B
108	1S40AM 3H1 RFT B	159	1S40BD 4H T B
109	1S40AM 4H CT B	160	1S40BD 5H1 CT B
110	1S40AM 4H RFT B	161	1S40BD 5H CT B
111	1S40AM 4H T B	162	1S40BD 5H1 RFT B
112	1S40AM 4H1 CT B	163	1S40BD 5H RFT B
113	1S40AM 4H1 RFT B	164	1S40BD P RFT B
114	1S40AM 4H1 T B	165	1S40BD P CT B
115	1S40AM 4H1N T B	166	1S40BF 2H CT B
116	1S40AM 4HN T B	167	1S40BF 2H R B
117	1S40AM 5H CT B	168	1S40BF 2E CT B
118	1S40AM 5H RFT B	169	1S40BF 2E R B
119	1S40AM 5H1 CT B	170	1S40BF 2E T B
120	1S40AM 5H1 RFT B	171	1S40BF 2H1 CT B
121	1S40AM P CT B	172	1S40BF 2H1 P B

Electrical Configuration Code aaa = [001 ÷999]	Electrical Configuration	Electrical Configuration Code aaa = [001 ÷999]	Electrical Configuration
173	1S40BF 2H1 R B	224	1S48BD P CT B
174	1S40BF 2H1R T B	225	1S35BB 2H R B
175	1S40BF 2H1 T B	226	1S35BB 2H T B
176	1S40BF 2H1 TE B	227	1S35BB 2H TE B
177	1S40BF 2H P B	228	1SI45BG 2E CT B
178	1S40BF 2HR T B	229	1SI45BG 2E R B
179	1S40BF 2H T B	230	1SI45BG 2E T B
180	1S40BF 2H TE B	231	1SI45BG 2E TE B
181	1S40BF 3H RFT B	232	1SI45BG 2H1 CT B
182	1S40BF 3H1 RFT B	233	1SI45BG 2H1 T B
183	1S40BF 4H1 CT B	234	1SI45BG 2H1 TE B
184	1S40BF 4H1N T B	235	1SI45BG 2H CT B
185	1S40BF 4H1 RFT B	236	1SI45BG 2H T B
186	1S40BF 4H1 T B	237	1SI45BG 2H TE B
187	1S40BF 4H CT B	238	1SI45BG 4H1 CT B
188	1S40BF 4HN T B	239	1SI45BG 4H CT B
189	1S40BF 4H RFT B	240	1SI50BB 2E CT B
190	1S40BF 4H T B	241	1SI50BB 2E R B
191	1S40BF 5H1 CT B	242	1SI50BB 2E T B
192	1S40BF 5H1 RFT B	243	1SI50BB 2E TE B
193	1S40BF 5H CT B	244	1SI50BB 2H1 CT B
194	1S40BF 5H RFT B	245	1SI50BB 2H1 T B
195	1S40BF P RFT B	246	1SI50BB 2H1 TE B
196	1S40BF P CT B	247	1SI50BB 2H CT B
197	1S48BD 2E CT B	248	1SI50BB 2H T B
198	1S48BD 2E R B	249	1SI50BB 2H TE B
199	1S48BD 2E T B	250	1SI50BB 4H1 CT B
200	1S48BD 2H1 CT B	251	1SI50BB 4H CT B
201	1S48BD 2H1 P B	252	1SI45AD 2E CT B
202	1S48BD 2H1 R B	253	1S40BF 2E ASC B
203	1S48BD 2H1R T B	254	1S40BD 2E TE B
204	1S48BD 2H1 TE B	255	1SI45BG 1E CT B
205	1S48BD 2H CT B	256	1S40BB 1E CT D
206	1S48BD 2H P B	257	1SI45AC 1E TE B
207	1S48BD 2H R B	258	1SI45BG 1E TE B
208	1S48BD 2HR T B	259	1S40BB 1E TE D
209	1S48BD 3H RFT B	260	1SI45BG 2E P B
210	1S48BD 3H1 RFT B	261	1S40BD 2H IT B
211	1S48BD 4H1 CT B	262	1S40BB 1SE ASC D
212	1S48BD 4H1N T B	263	1SI50BB 1SE ASC B
213	1S48BD 4H1 RFT B	264	1S40AG 1E CT B
214	1S48BD 4H1 T B	265	1S50CB 2E CT B
215	1S48BD 4H CT B	266	1S40CB 2H CT B
216	1S48BD 4HN T B	267	1S40BD 2E ICT B
217	1S48BD 4H RFT B	268	1SI40CC 2E CTA B
218	1S48BD 4H T B	269	1K42BX 2H T B
219	1S48BD 5H1 CT B	270	1K42BX 2H CT B
220	1S48BD 5H1 RFT B	271	1K42BX 2H TE B
221	1S48BD 5H CT B	272	1SI50BB 2E CTH B
222	1S48BD 5H RFT B	273	1SI50BB 1SE R B
223	1S48BD P RFT B	274	1K42BX 2H P B

