

Product Fiche compliant to commission delegated regulation (EU) No 65/2014 and UK SI 2019 No. 539

PRF0086566B FOG102648 Ed. 08/18

Table with columns: Supplier's name or trade mark (ELICA), Model identifier (E009AII-001-001), Annual Energy Consumption - AEEchood (34.5 kWh/a), Energy Efficiency Class (C), Fluid Dynamic Efficiency - FDEhood (8.5 %), Fluid Dynamic Efficiency class (E), Light Efficiency - LEhood (20.1 lux/W), Lighting Efficiency Class (B), Grease Filtering Efficiency - GFEhood (55.1 %), Grease Filtering Efficiency class (E), Minimum Air Flow in normal use (110 m³/h), Maximum Air Flow in normal use (205 m³/h), Air Flow at intensive/boost setting (NA m³/h), A-weighted Sound Power Emission at minimum speed (52 dB(A) re 1pW), A-weighted Sound Power Emission at maximum speed (68 dB(A) re 1pW), A-weighted Sound Power Emission at intensive or boost speed (NA dB(A) re 1pW), Power consumption off mode - Po (NA W), Power consumption in standby mode - Ps (NA W).

Additional Product Information compliant to commission regulation (EU) No 66/2014 and UK SI 2019 No. 539

Table with columns: Time increase factor (f, 1.7), Energy Efficiency Index (EElhood, 75.7), Measured air flow rate at best efficiency point (QBEP, 110 m³/h), Measured air pressure at best efficiency point (PBEP, 145 Pa), Maximum air flow (Qmax, NA m³/h), Measured electric power input at best efficiency point (WBEP, 52 W), Nominal power of the lighting system (WL, 3 W), Average illumination of the lighting system on the cooking surface (Emiddle, 60 lux).

Product Fiche compliant to commission delegated regulation (EU) No 65/2014 and UK SI 2019 No. 539

PRF0086566B

FOG0102648 Ed. 08/18

Table with 4 columns: Supplier's name or trade mark (ELICA), Model identifier (E009AII-001-001), Annual Energy Consumption - AEChood (34.5 kWh/a), Energy Efficiency Class (C), Fluid Dynamic Efficiency - FDEhood (8.5 %), Fluid Dynamic Efficiency class (E), Light Efficiency - LEhood (20.1 lux/W), Lighting Efficiency Class (B), Grease Filtering Efficiency - GFEhood (55.1 %), Grease Filtering Efficiency class (E), Minimum Air Flow in normal use (110 m³/h), Maximum Air Flow in normal use (205 m³/h), Air Flow at intensive/boost setting (NA m³/h), A-weighted Sound Power Emission at minimum speed (52 dB(A) re 1pW), A-weighted Sound Power Emission at maximum speed (68 dB(A) re 1pW), A-weighted Sound Power Emission at intensive or boost speed (NA dB(A) re 1pW), Power consumption off mode - Po (NA W), Power consumption in standby mode - Ps (NA W).

Additional Product Information compliant to commission regulation (EU) No 66/2014 and UK SI 2019 No. 539

Table with 4 columns: Time increase factor (f, 1.7), Energy Efficiency Index (EEIhood, 75.7), Measured air flow rate at best efficiency point (QBEP, 110 m³/h), Measured air pressure at best efficiency point (PBEP, 145 Pa), Maximum air flow (Qmax, NA m³/h), Measured electric power input at best efficiency point (WBEP, 52 W), Nominal power of the lighting system (WL, 3 W), Average illumination of the lighting system on the cooking surface (Emiddle, 60 lux).