




Ref. Certif. No.

**DK-140828-UL**

**IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME**

**CB TEST CERTIFICATE**

Product	Range Hood
Name and address of the applicant	Elica SPA Via Ermanno Casoli 2 Fabriano, AN, 60044 Italy
Name and address of the manufacturer	Elica SPA Via Ermanno Casoli 2 Fabriano, AN, 60044 Italy
Name and address of the factory	Elica SPA Localita Montirone Mergo, AN, 60030 Italy <a href="#">Additional Information on page 7</a>
Note: When more than one factory, please report on page 2	
Ratings and principal characteristics	220-240 or 230 V 50-60 Hz, 220-240 or 230 V 50 Hz or 220 V 60 Hz or 110-127 V 60 Hz or 127 V 60 Hz, max 408 W <a href="#">Additional Information on pages 2-6</a>
Trademark / Brand (if any)	
Customer's Testing Facility (CTF) Stage used	CTF Stage 3
Model / Type Ref.	E077 I, E077A I and E077C I <a href="#">Additional Information on pages 2-6</a>
Additional information (if necessary may also be reported on page 2)	<a href="#">Additional Information on page 7</a>
A sample of the product was tested and found to be in conformity with	IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013, IEC 60335-1:2010/AMD2:2016, IEC 60335-2-31:2012, IEC 60335-2-31:2012/AMD1:2016, IEC 60335-2-31:2012/AMD2:2018
As shown in the Test Report Ref. No. which forms part of this Certificate	23-4790731353.17.1 issued on 2023-04-28

This CB Test Certificate is issued by the National Certification Body



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2023-05-18

Signature:  
Thomas Wilson

**Model details:**

ADDITIONAL INFORMATION							
Type/Code identification							
This Test Report covers the following type and associated code identifying the Electrical configuration: Type: <b>E077 I or E077A I or E077C I code</b> (i.e. E077 I 1S40AG 2E T B or E077A I 1S40BD 2E CT B or E077C I 1S48BD 1E R B)							
No.	Type	Code (Electrical Configuration)	Rated Input (W)	Rated Voltage (V)	Frequency (Hz)	Min. distance from Electric Hob /Gas Hob (cm)	Min. distance from Electric Hob /Gas Hob (cm) (only for AUS/NZL)
1	E077 I	1S40AG 2E T B	255	220-240 or 230	50-60	40/45	40/45
2	E077 I	1S40BD 2E R B	255	220-240 or 230 220	50 60	40/50	45/50
3	E077 I	1S40BD 2E T B	255	220-240 or 230 220	50 60	45/50	45/50
4	E077 I	1S40BD 2E TE B	255	220-240 or 230 220	50 60	40/50	45/50
5	E077 I	1S40BD 2E CT B	255	220-240 or 230 220	50 60	40/50	45/50
6	E077 I	1S40BF 2E R B	265	220-240 or 230 220	50 60	40/50	45/50
7	E077 I	1S40BF 2E T B	265	220-240 or 230 220	50 60	45/50	45/50
8	E077 I	1S40BF 2E CT B	265	220-240 or 230 220	50 60	40/50	45/50
9	E077 I	1S48BD 2E R B	225	220-240 or 230 220	50 60	40/50	45/50
10	E077 I	1S48BD 2E T B	225	220-240 or 230 220	50 60	45/50	45/50

**Additional information (if necessary)**




- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2023-05-18

Signature:



Thomas Wilson



Ref. Certif. No.

**DK-140828-UL**

11	E077 I	1S48BD 2E TE B	225	220-240 or 230 220	50 60	40/50	45/50
12	E077 I	1S48BD 2E CT B	225	220-240 or 230 220	50 60	40/50	45/50
13	E077 I	1SI45BG 2E CT B	265	220-240 or 230	50	40/50	45/50
14	E077 I	1SI50BB 2E CT B	305	220-240 or 230	50	40/50	45/50
15	E077A I	1S40BD 2E CT B	255	220-240 or 230	50	30/35	30/35
16	E077A I	1S40BD 2N CT B	278	220-240 or 230	50	30/35	30/35
17	E077A I	1S40BF 2E CT B	265	220-240 or 230	50	30/35	30/35
18	E077A I	1S40BF 2N CT B	288	220-240 or 230	50	30/35	30/35
19	E077A I	1S48BD 2E CT B	225	220-240 or 230	50	30/35	30/35
20	E077A I	1S48BD 2N CT B	248	220-240 or 230	50	30/35	30/35
21	E077A I	1SI50BB 2E CT B	305	220-240 or 230	50	30/35	30/35
22	E077A I	1SI50BB 2N CT B	328	220-240 or 230	50	30/35	30/35
23	E077 I	1SI45AC 1E CT B	247	220-240 or 230	50	40/55	50/55
24	E077 I	1SI45BG 1E CT B	267	220-240 or 230	50	40/55	50/55
25	E077 I	1S40BB 1E CT D	257	220	60	40/55	50/55
26	E077 I	1SI45AM 1E CT B	247	220-240 or 230	50	40/55	50/55
27	E077 I	1SI45AC 1E TE B	247	220-240 or 230	50	40/55	50/55
28	E077 I	1SI45BG 1E TE B	267	220-240 or 230	50	40/55	50/55
29	E077 I	1S40BB 1E TE D	257	220	60	40/55	50/55
30	E077C I	1S48BD 1E R B	227	220-240 or 230	50	50/65	60/65
31	E077 I	1S40AG 1E CT B	257	220-240 or 230	50-60	40/55	50/55
32	E077A I	1S40BB 2N CT D	278	220	60	30/30	30/30

**Additional information (if necessary)**



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2023-05-18

Signature:

Thomas Wilson



Ref. Certif. No.

**DK-140828-UL**

33	E077 I	1S40AE 2E CT B	280	220-240 or 230	50-60	40/55	50/55
34	E077 I	1SI50BB 2E CTH B	305	220-240 or 230	50	40/55	50/55
35	E077 I	1SI45BG 2E P B	265	220-240 or 230	50	40/55	50/55
36	E077 I	1S40BF 2D CT B	263	220-240 or 230	50	45/55	50/55
37	E077 I	1S40BD 2E P B	255	220-240 or 230	50	45/55	50/55
38	E077 I	1S40CB 2E CT B	255	220-240 or 230 220	50 60	45/55	50/55
39	E077 I	1S40CB 2E T B	255	220-240 or 230 220	50 60	45/55	50/55
40	E077 I	1S48CD 2E CT B	205	220-240 or 230 220	50 60	45/55	50/55
41	E077 I	1S48CD 2E T B	205	220-240 or 230 220	50 60	45/55	50/55
42	E077 I	1S40BD 2E ICT B	255	220-240 or 230	50	45/55	50/55
43	E077 I	1S40AG 2S T B	252	220-240 or 230	50-60	45/55	50/55
44	E077 I	1K42BX 2E CT B	175	220-240 or 230 220	50 60	40/45	40/45
45	E077 I	1S35BB 2E P B	185	220-240 or 230	50-60	45/55	50/55
46	E077 I	1S40AG 2E CT B	255	220-240 or 230	50-60	30/55	50/55
47	E077 I	1S40AG 4ED CT B	262	220-240 or 230	50-60	30/40	35/40
48	E077 I	1S40BF 2S CT B	262	220-240 or 230 220	50 60	45/55	50/55
49	E077 I	1S40BF 2E ASC B	265	220-240 or 230 220	50 60	40/60	55/60
50	E077 I	1S48CD 2E ASC B	205	220-240 or 230 220	50 60	40/60	55/60

**Additional information (if necessary)**



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2023-05-18

Signature:

Thomas Wilson



Ref. Certif. No.

**DK-140828-UL**

51	E077 I	1S48CD 1SE ASC B	207	220-240 or 230 220	50 60	40/60	55/60
52	E077 I	1SI40CC 2E ASC B	315	220-240 or 230	50	45/60	55/60
53	E077 I	1SI40CC 2E CT B	315	220-240 or 230	50	45/60	55/60
54	E077 I	1SI40CC 1SE T1 B	317	220-240 or 230	50	45/60	55/60
55	E077 I	1S40CB 1SE ASC1 B	257	220-240 or 230 220	50 60	45/60	55/60
56	E077 I	1S40BF 2E CT1 B	265	220-240 or 230 220	50 60	40/50	45/50
57	E077 I	1S40BF 2E BCT B	265	220-240 or 230 220	50 60	40/50	45/50
58	E077 I	1SI40CC 2E CTA1 B	408	220-240 or 230	50	43/60	55/60
59	E077 I	1SI50BB 2E CT1 B	305	220-240 or 230	50	40/50	45/50
60	E077 I	1S40BF 1SE CT B	267	220-240 or 230 220	50 60	40/50	45/50
61	E077 I	1S48CB 2E CT B	275	220-240 or 230 220	50 60	45/60	55/60
62	E077 I	1S48CB 2E CT1 B	275	220-240 or 230 220	50 60	45/50	45/50
63	E077 I	1S48CB 1SE CT1 B	277	220-240 or 230 220	50 60	45/55	50/55
64	E077 I	1W50CC 2E CT B	255	220-240 or 230	50-60	45/60	55/60
65	E077 I	1W50CC 2E CTA1 B	348	220-240 or 230	50-60	43/60	55/60
66	E077 I	1W50CC 1SE CT B	257	220-240 or 230	50-60	43/55	50/55
67	E077A I	1W50CC 2N CT B	278	220-240 or 230	50-60	30/35	30/35

**Additional information (if necessary)**



- UL Solutions (US), 333 Pfingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2023-05-18

Signature:

Thomas Wilson

68	E077 I	1W50CB 2E CT B	255	220-240 or 230	50-60	40/50	45/50
69	E077 I	1S40CB 2E CT1 B	255	220-240 or 230 220	50 60	45/55	50/55
70	E077 I	1S40CL 1SE ASC1 E	307	110-127 127	60	45/55	50/55
71	E077 I	1S48BD 2D CT B	223	220-240 or 230 220	50 60	45/55	50/55
72	E077 I	1W50CB 1SE ASC1 B	257	220-240 or 230	50-60	45/60	55/60
73	E077 I	1W50CB 1SE CT B	257	220-240 or 230	50-60	40/55	50/55
74	E077 I	1W50BC 2D CT B	253	220-240 or 230	50-60	45/60	55/60

**Explanation of type/electrical configuration:**

E077 or E077A or E077C = Type of construction

I = Insulation Class

xKy, xSy or xWy = Number of Motors and Type of Motor ("K" Shaded pole, "S" or "W" Capacitor Motor).

xN, xE, xD, xS, xED or xSE = Tubular fluorescent lamp 14 W (neon) ("N"), Led Spot Lamp 2,5 W ("2E" or "4E"), Led Spot Lamp Depowered 1,3 W ("D"), Led Spot Lamp 1 W ("S"), Dichroic Led Lamp 3 W ("ED") or Strip Led 7 W ("SE" or "1E").

ASC, ASC1, CT, CT1, P, R, T, T1, TE, CTH, ICT, CTA1 or BCT = Kind of Controls ("ASC" Air Sensor Capacitive Touch controls, ("ASC1" Air Sensor Capacitive Touch controls with soft first speed, "CT" Capacitive Touch Control, "CT1" Capacitive Touch Controls with soft first speed, "P" Push Button, "R" Rotating Touch Controls, "T" Touch Controls, "T1" Touch Controls with soft first speed, "TE" Electro-mechanical Touch Controls), "CTH", "ICT or BCT" Capacitive Touch Controls H2H) and "CTA1" Capacitive Touch Controls with Anti-Condensation system with Soft First Speed.

B, D or E = ("B") tested for/at 240V (For UK) or ("D") tested for/at 220 V, 60 Hz or ("E") tested for/at 127 V, 60 Hz.

**Remark:** x is a number (one or more digit), y is a sequence of alphanumerical characters of any length.


**Additional information (if necessary)**


UL Solutions (US), 333 Pflingsten Rd IL 60062, Northbrook, USA  
 UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK  
 UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN  
 UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

 For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2023-05-18

Signature:



Thomas Wilson



Ref. Certif. No.

**DK-140828-UL**

**Factories:**

ELICA GROUP POLSKA SP Z O O  
Ul Inzynierska 3 Jelcz Laskowice 55-221  
Poland

Zhejiang Elica Putian Electric Co. Ltd.  
No 88 Putian Avenue Shengzhou City, Zhejiang Province, 312400  
China

**Additionally evaluated to:** EN 60335-1:2012, EN 60335-1:2012/A1:2019, EN 60335-1:2012/A2:2019, EN 60335-1:2012/A11:2014, EN 60335-1:2012/A13:2017, EN 60335-1:2012/A14:2019, EN 60335-1:2012/A15:2021, EN 60335-2-31:2014, EN 62233:2008

See the Test Report for information about National Differences

**Additional information (if necessary)**



- UL Solutions (US), 333 Pflingsten Rd IL 60062, Northbrook, USA
- UL Solutions (Demko), Borupvang 5A DK-2750 Ballerup, DENMARK
- UL Solutions (JP), Marunouchi Trust Tower Main Building 6F, 1-8-3 Marunouchi, Chiyoda-ku, Tokyo 100-0005, JAPAN
- UL Solutions (CA), 7 Underwriters Road, Toronto, M1R 3B4 Ontario, CANADA

For full legal entity names see [www.ul.com/ncbnames](http://www.ul.com/ncbnames)

Date: 2023-05-18

Signature:

Thomas Wilson