

DECLARATION OF CONFORMITY



Name and address of the manufacturer:	ELICA S.p.A. via Ermanno Casoli 2, 60044 Fabriano (AN) ITALY
Product:	Domestic Range Hood
Type Ref.	E100E I
Model ID:	E100EXI-aaa-bbb
	Model ID is always a string of 15 alphanumeric characters, where the first 7 digits identify the type. Any blank digit is replaced with the letter X.
	aaa = [001 ÷ 999] Electrical Configuration Code (see annex 1)
	bbb = [001 ÷ 999] Energy Label & Ecodesign Directive Code (each code identify a specific set of performances)

Elica S.p.A. declares under its sole responsibility that the risk analysis conducted on the products, subject of the present declaration, has highlighted that all potential risks associated with them are of electrical, mechanical or thermal nature; furthermore they can be related to possible fire hazards, electromagnetic interference disturbances or to the presence of hazardous chemicals. It is deemed that the requirements, defined by Directives and harmonized standards listed below, are such as to cover the risks mentioned above.

ELICA S.p.A. declares under its sole responsibility that the product(s) described above are in conformity with the following European Directives and Regulations:

SAFETY

Directive 2014/35/EU of the European parliament and of the Council of 26 February 2014 on the harmonisation of the laws of Member States relating to electrical equipment designed for use within certain voltage limits.

Applied Standards:

EN 60335-1:2012 + A11:2014 + A13:2017 + A1:2019 + A14:2019 + A2:2019	EN 62233:2008
EN 60335-2-31:2014	

EMC

Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the approximation of the laws of the Member States relating to electromagnetic compatibility

Applied Standards:

EN 55014-1:2017	EN 61000-3-2:2014
EN 55014-2:2015	EN 61000-3-3:2013

RoHS

Directive 2011/65/EU of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain substances in electrical and electronic equipment.

Commission Delegated Directive (EU) 2015/863 of 31 March 2015, amending Annex II to Directive 2011/65/EU of the European Parliament and of the Council as regards the list of restricted substances.

Applied Standards:

EN 50581:2012 (EN62321:2008)

ECODESIGN

DIRECTIVE 2009/125/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 21 October 2009 establishing a framework for the setting of ecodesign requirements for energy-related products

- **COMMISSION REGULATION (EU) No 66/2014 of 14 January 2014 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for domestic ovens, hobs and range hoods**

Applied Standards:

EN 61591:1997 + A1:2006 + A2:2011 + A11:2014 + A12:2015; EN 60704-1:2010 + A11:2012;
 EN 60704-2-13:2017; EN 50564:2011; ISO 5167-1:2003; ISO 5167-3:2003; ISO 3741:2010.

- COMMISSION REGULATION (EU) No 327/2011 of 30 March 2011 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for fans driven by motors with an electric input power between 125 W and 500 kW
- COMMISSION REGULATION (EC) No 244/2009 of 18 March 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for non-directional household lamps
- COMMISSION REGULATION (EC) No 245/2009 of 18 March 2009 implementing Directive 2005/32/EC of the European Parliament and of the Council with regard to ecodesign requirements for fluorescent lamps without integrated ballast, for high intensity discharge lamps, and for ballasts and luminaires able to operate such lamps, and repealing Directive 2000/55/EC of the European Parliament and of the Council
- COMMISSION REGULATION (EU) No 1194/2012 of 12 December 2012 implementing Directive 2009/125/EC of the European Parliament and of the Council with regard to ecodesign requirements for directional lamps, light emitting diode lamps and related equipment
- COMMISSION REGULATION (EU) No 2015/1428 of 25 August 2015, amending Commission Regulation (EC) No 244/2009 with regard to ecodesign requirements for non-directional household lamps and Commission Regulation (EC) No 245/2009 with regard to ecodesign requirements for fluorescent lamps without integrated ballast, for high intensity discharge lamps, and for ballast and luminaires able to operate such lamps and repealing Directive 2000/55/EC of the European Parliament and of the Council and Commission Regulation (EU) No. 1194/2012 with regard to ecodesign requirements for directional lamps, light emitting diode lamps and related equipment.

ELICA S.p.A. declares under its sole responsibility that the product(s) described above are also in conformity with the following additional European Directives and Regulations not mandatory for CE marking:

LABELLING

Regulation (EU) 2017/1369 of the European Parliament and of the Council of 4 July 2017 setting a framework for energy labelling and repealing Directive 2010/30/EU.

- COMMISSION DELEGATED REGULATION (EU) No 65/2014 of 1 October 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to the energy labelling of domestic ovens and range hoods

REACH

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Signed for and on behalf of manufacturer:

Fabriano lì 07/07/2020

**Sacchetto Mauro
Chief Executive Officer**



ANNEX 1

Explantation of Type code/Electrical configuration:

E100E = Typology of construction

I = Insulation Class

xKy, xSy, xSIy, xSBy, xWEy or xMy = Number and Typology of Motor(s)

XL, xA, xB, xH, xH1, xF, xE, xN, xNA, xNB, xSE or xP = Number and typology of lamps

P, S, E, T, R, TE, CT, ST, AST, RFT, SH, ST, PT, ASC, SH, IT or T1 = Kind of control(s)

A, B, C, D, E or H = Voltage and Frequency ratings

Remark: "x" = is a number (one or more digit) and "y" = is alphanumerical string.

TYPE: E100E I

Electrical Configuration Code aaa = [001 ÷ 999]	Electrical Configuration	Electrical Configuration Code aaa = [001 ÷ 999]	Electrical Configuration
001	1K42AC 2H T B	036	1S40AE 4H1 AST B
002	1K42AC 4H T B	037	1S40AE 4H1 CT B
003	1K42AC 4H TE B	038	1S40AE 4H1 R B
004	1K50AC 2E CT B	039	1S40AE 4H1 T B
005	1S35AC 2H AST B	040	1S40AE 4H1 TE B
006	1S35AC 2H T B	041	1S40AF 2E AST B
007	1S35AC 4H AST B	042	1S40AF 2H AST B
008	1S35AC 4H CT B	043	1S40AF 2H T B
009	1S35AC 4H T B	044	1S40AF 2H1 AST B
010	1S35AC 4H TE B	045	1S40AF 2H1 T B
011	1S40AC 2H AST B	046	1S40AF 4E CT B
012	1S40AC 2H T B	047	1S40AF 4E T B
013	1S40AC 2H TE E	048	1S40AF 4H AST B
014	1S40AC 4E CT B	049	1S40AF 4H CT B
015	1S40AC 4E T B	050	1S40AF 4H R B
016	1S40AC 4H AST B	051	1S40AF 4H T B
017	1S40AC 4H CT B	052	1S40AF 4H TE B
018	1S40AC 4H R B	053	1S40AF 4H1 AST B
019	1S40AC 4H T B	054	1S40AF 4H1 CT B
020	1S40AC 4H T E	055	1S40AF 4H1 R B
021	1S40AC 4H TE B	056	1S40AF 4H1 T B
022	1S40AC 4N T B	057	1S40AF 4H1 TE B
023	1S40AE 2E AST B	058	1S40AH 2H T B
024	1S40AE 2H AST B	059	1S50AC 2E AST B
025	1S40AE 2H T B	060	1S50AC 2H AST B
026	1S40AE 2H TE B	061	1S50AC 2H T B
027	1S40AE 2H1 AST B	062	1S50AC 4H AST B
028	1S40AE 2H1 T B	063	1S50AC 4H CT B
029	1S40AE 4E CT B	064	1S50AC 4H T B
030	1S40AE 4E T B	065	1S50AC 4H TE B
031	1S40AE 4H AST B	066	1SI45AC 2E T B
032	1S40AE 4H CT B	067	1SI45AC 4E SH B
033	1S40AE 4H R B	068	1SI45AC 4E T B
034	1S40AE 4H T B	069	1S40BC 4E CT B
035	1S40AE 4H TE B	070	1SI50BB 2SE CT B

Electrical Configuration Code aaa = [001 ÷ 999]	Electrical Configuration	Electrical Configuration Code aaa = [001 ÷ 999]	Electrical Configuration
071	1S40BD 4E CT B	122	1S48BD 4H1 CT B
072	1S40BD 2H T B	123	1S48BD 4H R B
073	1S40BD 2H1 T B	124	1S48BD 4H1 R B
074	1S40BC 4E TE B	125	1S48BD 4H T B
075	1S40BF 2H CT B	126	1S48BD 4H1 T B
076	1S40BF 4H1 CT B	127	1S48BD 4H TE B
077	1S40BF 4H T B	128	1S48BD 4H1 TE B
078	1S40BF 2H T B	129	1S48BD 2H TE B
079	1S40BD 4E TE B	130	1S48BD 2H1 TE B
080	1S40BD 4H CT B	131	1S48BD 2E AST B
081	1S40BD 4H1 CT B	132	1S48BD 4E TE B
082	1S40BD 4E T B	133	1S35BB 4H T B
083	1S40BD 4H AST B	134	1S35BB 4H1 T B
084	1S40BD 4H1 AST B	135	1S35BB 4H TE B
085	1S40BD 4H R B	136	1S35BB 4H1 TE B
086	1S40BD 4H1 R B	137	1S35BB 2H TE B
087	1S40BD 4H T B	138	1S35BB 2H1 TE B
088	1S40BD 4H1 T B	139	1S35BB 2H T B
089	1S40BD 4H TE B	140	1S35BB 2H1 T B
090	1S40BD 4H1 TE B	141	1SI45BG 4E CT B
091	1S40BD 2H TE B	142	1SI45BG 4E T B
092	1S40BD 2H1 TE B	143	1SI45BG 4E TE B
093	1S40BD 2E AST B	144	1SI45BG 2E AST B
094	1S40BD 2H AST B	145	1SI50BB 4E CT B
095	1S40BD 2H1 AST B	146	1SI50BB 4E T B
096	1S40BF 2H1 T B	147	1SI50BB 2E AST B
097	1S40BF 4H1 T B	148	1SI50BB 4E TE B
098	1S40BF 4H CT B	149	1SI45BG SE SH B
099	1S40BF 4E CT B	150	1S40BF 4E ASC B
100	1S40BF 4E T B	151	1S40BD 2E TE B
101	1S40BF 4E TE B	152	1SI50BB SE SH B
102	1S40BF 4H AST B	153	1S40BF 2E IT B
103	1S40BF 4H1 AST B	154	1S40BF 2E TE B
104	1S40BF 4H TE B	155	1S48BD 2E TE B
105	1S40BF 4H1 TE B	156	1S40BD 2H CT B
106	1S40BF 2H TE B	157	1S48BD 2H CT B
107	1S40BF 2H1 TE B	158	1S40CF 2H1 T B
108	1S40BF 2E AST B	159	1S40CF 4E T B
109	1S40BF 4H R B	160	1SI50BB 4E R B
110	1S40BF 4H1 R B	161	1S48CD 4E TH B
111	1S40BF 2H AST B	162	1S40BB 2E TE D
112	1S40BF 2H1 AST B	163	1S40BB 4E CT D
113	1S48BD 2H AST B	164	1S40BB 4E T D
114	1S48BD 2H1 AST B	165	1S40BB 2H CT D
115	1S48BD 2H T B	166	1S40BB 4E TE D
116	1S48BD 2H1 T B	167	1S40BB 2H T D
117	1S48BD 4E CT B	168	1S40BB 2H TE D
118	1S48BD 4E T B	169	1S40BB 4H CT D
119	1S48BD 4H AST B	170	1S40BB 4H TE D
120	1S48BD 4H1 AST B	171	1S40BB 4H T D
121	1S48BD 4H CT B	172	1S40BB 2SE ASC D

Electrical Configuration Code aaa = [001 ÷ 999]	Electrical Configuration	Electrical Configuration Code aaa = [001 ÷ 999]	Electrical Configuration
173	1SI50BB 2SE ASC B	219	1S40CB 2E T B
174	1S40CB 2E TE B	220	1S35AC 2E TE B
175	1S40CB 2H CT B	221	1S40AC 4E TE B
176	1S40CB 2H1 CT B	222	1S48CD 2E T B
177	1S40CB 2H T B	223	1S40CD 2E T1 B
178	1S40CB 2H1 T B	224	1S40AC 2E AST B
179	1S40CB 2H TE B	225	1S40AC 4E T E
180	1S40CB 2H1 TE B	226	1S48CB 4E CT B
181	1S40CB 4E CT B	227	1S40CB 4E R B
182	1S40CB 4E T B		
183	1S40CB 4E TE B		
184	1S40CB 4H1 CT B		
185	1S40CB 4H CT B		
186	1S40CB 4H1 R B		
187	1S40CB 4H R B		
188	1S40CB 4H T B		
189	1S40CB 4H1 T B		
190	1S40CB 4H TE B		
191	1S40CB 4H1 TE B		
192	1S48CD 4E CT B		
193	1S48CD 4E T B		
194	1S48CD 4E TE B		
195	1S48CD 4H CT B		
196	1S48CD 4H1 CT B		
197	1S48CD 4H T B		
198	1S48CD 4H1 T B		
199	1S48CD 4H TE B		
200	1S48CD 4H1 TE B		
201	1S40CG 4H T B		
202	1S40CG 4H1 T B		
203	1S40CG 4E T B		
204	1S40CB 4E T1 B		
205	1S40CB 4H T1 B		
206	1SI45CG 4E T B		
207	1SI45CG 4E CT B		
208	1SI40CC 4E T1 B		
209	1SI40CC 4H T1 A		
210	1SI40CC 4H1 T1 B		
211	1SI40CC 4H T1 B		
212	1S40BD 4E TH B		
213	1S40AC 2E T B		
214	1S40BF 2E T B		
215	1S40BB 2E T D		
216	1S40BL 2E T E		
217	1S40BL 4E CT E		
218	1SI40CC 4E BCT B		